

Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

PURCHASE ORDER PO039433

REUISEL

Supplier:

AVI002-VU

Aviall

PO BOX 842267

Dallas, TX 75284-2267 USA Phone: 905-676-1695

Fax: 905-676-9046

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 PO No:

PO039433

PO Date: Due Date: 3/27/18 3/29/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact:

Phone:

Via:

Ground

Pymt Terms: Freight Terms: Net 30

MAR 2 8 2018

Special Comments: please ship fed ex overnight

acct: 151793240.

			ite	E1112						
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extende Price
1	AN4-13A	AN4-13A	Bolt	Firmed	3/29/18	300 Ea	3 0 Ea	300 Ea	\$0.18/Ea AV 1863	ا.\$54   <i>لادم</i>
2	AN4-17A	AN4-17A	Bolt	Firmed	3/29/18	100 Ea	0 Ea	100 Ea	\$0.2396/Ea	
3	AN4-45A		Bolt	Firmed	3/29/18	20 Ea	0 Ea محمد	20 Ea	\$1.63/Ea	\$32.0 -/J8
4	AN525-10R24		Screw receive ea	Firmed	3/29/18	100 pcs	0 pcs	100 pcs	\$0.2071/pcs	\$20." ولايم (ق)
5	AN6-36A	AN6-36A	Bolt	Firmed	3/29/18	50 Ea	50× 0 Ea	50 Ea	\$1.11/Ea A7 /6	\$55.! Bell 46
6	600.0990	} : !	Magnabond 6398 Part A	Firmed	3/29/18	10 Ea		10 Ea		\$332.
			Size 112 ml				(9 k		A1184	3/18
		a common and a com	MAGNOBOND, 6398, PART A (4OZ JAR)				;		: ·	
Item Not	e 51.51,% shelf life	188 days, exp: oct 1	,2018	:	,	. · · · · · · · · · · · · · · · · · · ·				
7	600.0991		Magnabond 6398 Part B Size 112 ml	Firmed	3/29/18	10 Ea	0 Ea	10 Ea	\$33.22/Ea	
					i			:	7-17 (300	7 mg
			: MAGNOBOND, 6398, PART B (40Z JAR)					:	) / ( ) you	» 1 43
8	600.1012		6398, PART B (4OZ JAR)	Firmed	3/29/18 ·	10 pcs	0 pcs	10 pcs	\$63.86/pcs A71863/	\$638.6
			6398, PART B (4OZ JAR) Sealant PR1425B2 (#654 sem)	Firmed	3/29/18 ·	10 pcs	,	,	\$63.86/pcs	\$638.6

Plex 3/28/18 7:45 AM dart.lavoie.chantal

ine em 10 11	Part -MS21043-4 -MS21071L3 -MS21919WCH4		Description Nut Anchor Nut	Status -Firmed	÷3/29/18	Quantity	<del></del>		Price (USD)	\$126.00
10	MS21043-4 MS21071L3	MS21043-4	Nut -			- 300 Ea	300 Ea	300 Ea	\$0.42/Ea	-\$126.00
			Anchor Nut	Firmed				/- '(	(1167/118	
12	MS21919WCH4				3/29/18	50 pcs	O pcs Sox	50 pcs	\$0.31/pcs	\$15.50
			Clamp	Firmed	3/29/18	> 20 Ea	0 Ea	20 Ea	\$0.70/Ea	\$14.00 Zy
13	MS21919WCH16	ė ·	Clamp receive ea	Firmed	3/29/18	20 Ea	0 Ea	20 Ea	\$1.03/Ea	\$20.60
14	CCA-38001	į	Activating Tool	Firmed	4/11/18	10 Ea	0 Ea	10 Ea	\$16.97/Ea	\$169.70
15	MS29512-06	MS29512-06	O-Ring	Firmed	3/29/18	20 pcs	Des O pcs	20 pcs	\$0.13/pcs	\$2.60 ⁄ン?
16	NAS1149C0532R		Washer	Firmed	3/29/18	200 Ear	20 Ea		\$0.0305/Ea	\$6.10
17	NAS1149C0932R		Washer	Firmed	3/29/18		0 Ea	200 Ea	\$0.1421/Ea	\$28.42 /28
18	NAS1149D0463J	NAS1149D0463J	Washer	Firmed	3/29/18	3,000 Ea	0 Ea	3,000 Ea	\$0.0289/Ea	\$86.70
19	AN3C5A	: : :	Bolt	Firmed	3/29/18	1,800 Ea	0 Ea	1,800 Ea		\$522.00

### **Order Notes**

**Procurement Quality Clauses** 

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

L

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit <a href="https://www.dartaerospace.com">www.dartaerospace.com</a> for further explanation.

Plex 3/28/18 7:45 AM dart.lavoie.chantal



## **Commercial Invoice**

Government Transaction Number **NOEEI FTR 30.36** 

Delivery Number Tracking Number 8005664989 428527456100 Commercial Invoice Number LU\_US\_1000 Ship From 9307152129 Ship Date **AVIALL CENTRAL WAREHOUSE** 27 March, 2018 2750 REGENT BLVD. DFW AIRPORT TX 75261

Incoterms

**EXW Shipping Point** 

**AVIALL SERVICES INC** 2750 REGENT BLVD **DEW AIRPORT TX 75261** USA

Sold	To	10003952	Ultimate Consignee	10003952	Ship To	10003952	Freight Forwarder	400010
DAI 127 HA	RT AEROSPACE LTD 0 ABERDEEN STREET WKESBURY ON K6A 1K7 NADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515	
							Tax Number: 20-4734803	

USA

Comments:

## ATTN Freight Forwarder: Email a copy of Master Air Way Bill (MAWB) to aesaudits@aviall.com

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Value USD	Extended Value USD
	AN4-13A - BOLT: HEX HD,ST  Export Tariff: 7318152000. Export Classification: 9A991.d  Authorization: NLRAT_JAN_2020  Sales Order: 1003940669 PO: PO039433  Batch Number: 7364732929	US	300	EA	0.18	54.00
20	AN4-17A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364753587	US	100	EA	0.24	24.00
30	AN4-45A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364576896	US	20	EA	1.63	32.60



Delivery Number	Commercial Invoice Number
8005664989	9307152129

A BOEING COMPANY

_		Country	0	UOM	Unit Price	Extended Value
Item	Part Number & Description	of Origin	Quantity	UOIM	USD	USD
	AN525-10R24 - SCREW: WASHER HD,ST  Export Tariff: 7318159000	US	100	EA	0.21	21.00
50	AN6-36A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364684343	US	50	EA	1.11	55.50
70	PR1425B2-60Z - SEALANT: 654 SEMKIT Export Tariff: 3214905000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364781249	US	10	EA	63.86	638.60
80	MS21042L4 - NUT: SELF-LKG,ST Export Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364736526	US	1,000	EA	0.17	170.00
90	MS21043-4 - NUT: SELF-LKG,CRES Export Tariff: 7318160000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364764283	US	300	EA	0.42	126.00
100	MS21071L3 - NUTPLATE: SELF-LKG,ST Export Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364781511	IT	50	EA	0.31	15.50
110	MS21919WCH4 - CLAMP: LOOP, CUSHION, CRES Export Tariff: 7326908695	US	20	EA	0.70	14.00



Sales Order: 1003940669

PO: PO039433

A ROFING COMPANY

Delivery Number	Commercial Invoice Number
8005664989	9307152129

Extended Value Unit Price Country Quantity HOM Part Number & Description of Origin USD Ifem USD 2.60 0.13 MX 20 EΑ MS29512-06 - ORING: NITRILE.70 130 Export Classification: 9A991.d Export Tariff: 4016930000 Authorization: NLRAT JAN 2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364691487 0.03 6.00 US 200 FΑ NAS1149C0532R - WASHER: FLT.ST Export Classification: 9A991.d Export Tariff: 7318220000 Authorization: NLRAT JAN 2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364793810 16.00 0.08 HS 200 FΑ NAS1149C0932R - WASHER: FLT.ST 150 Export Tariff: 7318220000 Export Classification: 9A991.d Authorization: NLRAT JAN 2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364204609 90.00 0.03 3.000 EΑ US NAS1149D0463J - WASHER: FLT.AL 160 Export Tariff: 7616108000 Export Classification: 9A991.d Authorization: NLRAT JAN 2020

1,265.80
)
1,265.80

### FOR CUSTOMS PURPOSES ONLY NOT A BILLING INVOICE

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.



**AVIALL SERVICES INC** 

**DFW AIRPORT TX 75261** 

2750 REGENT BLVD

USA

## **Commercial Invoice**

Government Transaction Number
NOEEI FTR 30.36

Tracking Number Delivery Number

428527458916

Commercial Invoice Number
Ship From LU US 1000

9307151959 Ship Date

AVIALL CENTRAL WAREHOUSE
2750 REGENT BLVD.
27 March, 2018

DFW AIRPORT TX 75261
USA
Incoterms

EXW Shipping Point

Sold To 10003952 Ultimate Consignee 10003952 Ship To 10003952 Freight Forwarder 400010 DART AEROSPACE LTD DART AEROSPACE LTD DART AEROSPACE LTD FEDEX 1270 ABERDEEN STREET **1270 ABERDEEN STREET** 1270 ABERDEEN STREET FEDEX NATIONAL LTL INC HAWKESBURY ON K6A 1K7 **HAWKESBURY ON K6A 1K7 HAWKESBURY ON K6A 1K7** PO BOX 94515 CANADA **CANADA** CANADA PALATINE IL 60094-4515 Tax Number: 20-4734803

Comments:

### ATTN Freight Forwarder: Email a copy of Master Air Way Bill (MAWB) to aesaudits@aviall.com

Item	Part Number & Description	Country of Origin	Quantity	иом	Unit Value USD	Extended Value USD
60	MAGN0B0ND6398 - ADHESIVE: EPOXY,A/B,112ML Export Tariff: 3506100000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364775754	US	10	CQ	66.44	664.40



Delivery Number	Commercial Invoice Number
8005664990	9307151959

Item	Part Number & Description	Country of Origin	Quantity	ИОМ	Unit Price USD	Extended Value USD
					Gross Value	664.40
				-	Add on Charges	
				-	Tax Value	
					Freight Charges	······································
		·			Total Net Value	664.40
	FOR CUSTOMS F	PURPOSES ONLY	•	L		

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

**NOT A BILLING INVOICE** 



**AVIALL SERVICES INC** 

**DFW AIRPORT TX 75261** 

2750 REGENT BLVD

USA

## **Commercial Invoice**

Government Transaction Number
NOEEI FTR 30.36

Tracking Number Delivery Number 8005664990

| Commercial Invoice Number | Ship From | LU\_US\_1000 | 9307151959

AVIALL CENTRAL WAREHOUSE
2750 REGENT BLVD.
Ship Date
27 March, 2018

DFW AIRPORT TX 75261
USA
Incoterms
EXW Shipping Point

Tax Number: 20-4734803

Sold To Freight Forwarder Ship To 10003952 Ultimate Consignee 10003952 10003952 400010 **DART AEROSPACE LTD DART AEROSPACE LTD** DART AEROSPACE LTD **FEDEX FEDEX NATIONAL LTL INC** 1270 ABERDEEN STREET 1270 ABERDEEN STREET 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 **HAWKESBURY ON K6A 1K7** HAWKESBURY ON K6A 1K7 PO BOX 94515 CANADA **CANADA** CANADA **PALATINE IL 60094-4515** 

Comments:

### ATTN Freight Forwarder: Email a copy of Master Air Way Bill (MAWB) to aesaudits@aviall.com

Item		Part Number & Description	Country of Origin	Quantity	ООМ	Unit Value USD	Extended Value USD
60	Sa	IAGN0B0ND6398 - ADHESIVE: EPOXY,A/B,112ML xport Tariff: 3506100000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 ales Order: 1003940669 PO: PO039433 atch Number: 7364775754	US	10	CQ	66.44	664.40



## **Commercial Invoice**

Delivery Number	Commercial Invoice Number
8005664990	9307151959

Item	Part Number & Description	Country of Origin	Quantity	ИОМ	Unit Price USD	Extended Value USD
				ſ	Gross Value	664.40
					Add on Charges	· · · · · · · · · · · · · · · · · · ·
				}	Tax Value	
					Freight Charges	
				İ	Total Net Value	664.40

FOR CUSTOMS PURPOSES ONLY NOT A BILLING INVOICE

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.



### Safety Data Sheet Supplemental Information

MAR 27 2018

Delivery Number: 8005664990

Supplier Name:

**AVIALL CENTRAL WAREHOUSE** 

DALLAS CDC

DFW AIRPORT 75261

PH: 972-586-1000

**Product Details:** 

MAGN0B0ND6398=33

ADHESIVE: EPOXY, A/B, 112ML

MAGNOLIA ADVANCED MATERIALS

MAGNOBOND 6398-B

1 of 1

Shipper AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT, TX, 75261 U.S.A.				Air Waybill No.  Page 1 of 1 Pages  Shipper's Reference Number 8005664990  (optional)					
Consign	nee DART AEROSPACE L' 1270 ABERDEEN STR HAWKESBURY, ON, K Canada	EET			MASTE	R'			Created using International Air regulations and FedEx carrier variations.
Two con	npleted and signed copies of	this declaration		WARI	NING				
	handed to the operator.		<b>–</b>			oly in	all respects with the	applicable	
This ship	oment is within the ons prescribed for: non-applicable) NGER RGO ARCRAFT	Airport of Departure:		Dange applic	erous Go able law,	ods F subj	Regulations may be in ect to legal penalties.	breach of t	he
Airport of	Destination:				ent type: (A	l	non-applicable) X <b>%%%%%</b> %%		
NATURE	AND QUANTITY OF DANG					r			
UN or ID No.		us Goods Identification	Div (Sub	ss or ision sidiary isk)	Pack- ing Group	Qua	antity and type of packing	Packing   Inst.	Authorization
UN3267	Corrosive liquid, basic, organ piperazine)	nic, n.o.s. (aminoethyl	8		III	1 Fit	preboard Box x 2.36 L	852	
l here accura classif respec	eby declare that the ately described above fied, packaged, mark cts in proper conditational and national goable air transport requ	contents of this of the proper ted and labelled/ption for transport overnmental regulat	consiç ship blacar acci	gnmen ping r ded, a ording	t are funame, and are to ap	lly a ind a in	Name/Title of sign  ver  all  Hai  ble  Place and Date	atory ma Caraway zardous Shipper FW Airport, 75261 3	/27/2018 <b>7</b>

Shipper AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT, TX, 75261 U.S.A.				Air Waybill No.  Page 1 of 1 Pages  Shipper's Reference Number 8005664990  (optional)					
Consign	nee DART AEROSPACE L 1270 ABERDEEN STR HAWKESBURY, ON, K Canada	EET		LMASTE TWARE			in re Fe	reated using ternational Air gulations and edEx carrier ariations.	
	mpleted and signed copies of handed to the operator.	this declaration	WAF	RNING					
<del></del>	PORT DETAILS	· · · · · · · · · · · · · · · · · · ·				all respects with the a			
This shi	pment is within the ns prescribed for: non-applicable) NGER ARGO ARGOXXXX	Airport of Departure:	appli	cable law	, subj	Regulations may be in ject to legal penalties.	breach of the	9	
Airport of	Destination:			nent type: ( -RADIOACTI		non-applicable)			
All port of	Dodinadoll.				_	X			
NATURE	AND QUANTITY OF DANG				<del>-</del>				
	Dangero	us Goods Identification	Class or	Pack-		antity and type of packing	Packing	Authorization	
UN or ID No.	Proper Shipp	oing Name	Division (Subsidiary Risk)	Division ing Subsidiary Group			Inst.	Authorization	
UN3267	Corrosive liquid, basic, orga piperazine)	nic, n.o.s. (aminoethyl	8	<b>111</b>	1Fi	breboard Box x 2.36 L	852		
I here accura classif respec	el Handling Information Em by declare that the ately described abov fied, packaged, mark cts in proper condit ational and national go able air transport requ	contents of this of the contents of the proper ted and labelled/ption for transport vernmental regulat	consignmer shipping blacarded, according	nt are fu name, a and are	illy a ind in plica	nnd Name/Title of signa are Verne all Haza ble Place and Date PFV	tory a Caraway ordous Shipper N Airport, 75261 3/27	7/2018	

Shipper AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT, TX, 75261 U.S.A.				Air Waybill No.  Page 1 of 1 Pages  Shipper's Reference Number 8005664990  (optional)					
Consignee DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON, K6A 1K7 Canada			L	Internation regulation					Created using nternational Air egulations and FedEx carrier variations.
	npleted and signed copies of handed to the operator.	this declaration		WAR	NING				
	PORT DETAILS						all respects with the		
This ship	oment is within the ns prescribed for: non-applicable) NGER RGO ARCRAFT	Airport of Departure:		applic	able law,	subj	Regulations may be ir ect to legal penalties.		ne
	_			1		- 1	non-applicable)		
Airport of	Destination:			NON-F	RADIOACTIV	E	XXXXXXXXXXX		
NATURE	AND QUANTITY OF DANG	EROUS GOODS							
	Dangero	us Goods Identification	T - Cla		T	0	antitude and transfer and inc	Dooking	A4b i 4i
UN or ID No.	Proper Shipp	ing Name	Div Sub:	ss or ision sidiary isk)	Pack- ing Group	Qui	antity and type of packing	Packing Inst.	Authorization
UN3267	Corrosive liquid, basic, orgal piperazine)	nic, n.o.s. (aminoethyl	8		III	1 Fit	preboard Box x 2.36 L	852	
l here accura classif respec	by declare that the ately described above its in proper conditational and national goable air transport requ	contents of this of the contents of the proper ted and labelled/ption for transport overnmental regulat	consig shipp blacare acce ions. l	nmentoing rided, a	t are funame, and are to app	illy a	Name/Title of sign  Ver  all  ble  Place and Date  Circles	atory na Caraway cardous Shipper	27/2018

Shipper  AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT, TX, 75261 U.S.A.				Air Waybill No.  Page 1 of 1 Pages  Shipper's Reference Number 8005664990  (optional)					
Consignee DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON, K6A 1K7 Canada				Created us Internations regulations FedEx carr variations.					
	npleted and signed copies of handed to the operator.	this declaration	WAF	NING					
						all respects with the			
TRANSPORT DETAILS  This shipment is within the limitations prescribed for: (delete non-applicable)  PASSENGER AND CARGO AIRCRAFT AIRCRAFT AIRCRAFT				cable law	, subj	Regulations may be in ect to legal penalties.	breach of the	<b>.</b>	
Airport of	Destination:			RADIOACTIV		non-applicable) X <b>%%%%</b> %%%			
NATURE	AND QUANTITY OF DANG	EROUS GOODS			<b></b>				
	Dangero	us Goods Identification	Class or	Pack-	 	antity and type of packing	Packing	Authorization	
UN or ID No.	Proper Shipp	ing Name	Division (Subsidiary Risk)	ing	Qu		Inst.		
UN3267	Corrosive liquid, basic, organ piperazine)	nic, n.o.s. (aminoethyl	8	III	1 Fit	oreboard Box x 2.36 L	852		
l here accura classif respec	by declare that the stelly described above its in proper conditational and national goable air transport requ	contents of this of the contents of the proper ted and labelled/prices for transport vernmental regulat	consignment shipping blacarded, according ions. I decl	nt are fundame, and are	illy a ind in in	Name/Title of sign.  Ver all ble Place and Date Signature	atory na Caraway ardous Shipper	7/2018	



## **Safety Data Sheet**

Issuing Date 08-Oct-2015

Revision date 06-Nov-2015

**Revision Number** 5

### 1. IDENTIFICATION

Product identifier

Product name

Magnobond 6398-A

Other means of identification

Product Code(s)

6398-A

**Synonyms** 

Magnolia 6398-A

Recommended use of the chemical and restrictions on use

Recommended Use

This product contains epoxy constituents that have an average molecular weight of less

than or equal to 700.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address
Magnolia Advanced Materials
4360 NE Expressway
Atlanta, GA 30344

Emergency telephone number

Company Phone Number

Emergency telephone number

(770) 451-2777

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

### 2. HAZARDS IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization

Category 1

### Label elements

**Emergency Overview** 

### WARNING

Hazard statements

May cause an allergic skin reaction



Appearance Gray

Physical state Paste/Gel

Odor Slight ethereal

**Precautionary Statements - Prevention** 

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

Causes mild skin irritation Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

55.2 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Not applicable

### Mixture

**Synonyms** 

Magnolia 6398-A.

Chemical Name	CAS-No	Weight %	Trade secret
Trade secret	Proprietary	30-60	*
Aluminum	7429-90-5	25-50	*
Epoxy resin	Proprietary	5-15	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### **Description of first aid measures**

General advice Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes,

on skin, or on clothing. MAY CAUSE ALLERGIC SKIN REACTION.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately if symptoms

occur.

Skin contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Remove from exposure, lie down. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get

medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

### Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

### Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Other Information

Ventilate the area.

Environmental precautions

**Environmental precautions** 

Do not allow material to contaminate ground water system. Beware of vapors accumulating

to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a

dry and cool place.

Incompatible Products

None known based on information supplied.

### 8. Exposure Controls/Personal Protection

Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum	TWA: 1 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
7429-90-5		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Appropriate engineering controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

Eye/face protection

No special protective equipment required.

Skin and body protection

No information available.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** 

Wash hands before breaks and after work.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

Paste/Gel

**Appearance** 

Gray

Odor

Slight ethereal

Color

No information available

Odor threshold

Remarks/ • Method

No information available

Property PH

Values

No information available

Melting point / freezing point

No information available 107.3 °C 225 °F

Boiling Point/Range Flash point **Evaporation Rate** 

> 93.4 °C / > 200 °F No information available

Flammability (solid, gas) Flammability Limit in Air

No information available

**Upper Flammability Limit** Lower Flammability Limit Vapor pressure

No information available No information available No information available

Vapor density **Relative Density**  No information available

Water solubility

Negligible

1.25

Solubility in other solvents Partition coefficient: n-octanol/waterNo information available Autoignition temperature

No information available No information available No information available

**Decomposition temperature** Kinematic viscosity Dynamic viscosity **Explosive properties** 

No information available No information available No information available

**Oxidizing properties** 

No information available

### Other Information

Softening point Molecular weight **VOC Content** 

No information available No information available

Negligible

Density No information available **Bulk density** No information available

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

**Hazardous decomposition products** 

Carbon oxides. Phenols, Aromatic hydrocarbons.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

The product has not been tested

inhalation

There is no data available for this product.

Eye contact

There is no data available for this product.

Skin contact

There is no data available for this product.

Ingestion

There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Epoxy resin	= 11400 mg/kg (Rat)	-	-

### Information on toxicological effects

**Symptoms** 

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available. No information available. No information available.

Carcinogenicity
Reproductive toxicity
STOT - single exposure

**MUTAGENIC EFFECTS** 

No information available. No information available.

STOT - repeated exposure Aspiration hazard

No information available. No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

63,840.00 mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

46.4 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### Bioaccumulation/Accumulation

No information available.

undaliki.

Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	California Hazardous Waste Status
Aluminum	Ignitable (powder)
7429-90-5	

### **14. TRANSPORT INFORMATION**

DOT

Not regulated

**ICAO** 

UN-No

3082

**Hazard Class** Packing group 9 Ш

**IATA** 

UN-No

3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

**Hazard Class** Packing group

Ш

IMDG/IMQ

UN-No

3082

Proper shipping name **Hazard Class** 

Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

Packing group

Ш

EmS No.

F-A, S-F

RID

UN-No

3082

**Hazard Class** 

Packing group

111

Classification code

M6

ADR

ÜN-No

**Hazard Class** 

3082 9

Packing group

111

Classification code

M6

### 15. REGULATORY INFORMATION

International Inventories

**TSCA** 

Complies

DSL/NDSL

Complies

**EINECS/ELINCS ENCS** 

Complies

**IECSC** 

Does not comply

Complies

KEÇL

Complies

**PICCS AICS** 

Does not comply

Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard No Chronic Health Hazard No Fire hazard No Sudden release of pressure hazard No Reactive Hazard No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum	X	Х	X
7429-90-5			

### U.S. EPA Label Information

EPA Pesticide registration number Not applicable

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazard 2

Flammability 1

Instability 0

**Physical and Chemical** 

Hazards -

**HMIS** 

Health hazard 2

Flammability 1

Physical hazards 0

Personal precautions B

Prepared by

Magnolia Advanced Materials, Inc. 4360 NE Expressway.

Atlanta, GA 30340

**Issuing Date** Revision date Revision note 08-Oct-2015 06-Nov-2015

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS** 



## **Safety Data Sheet**

Issuing Date 06-Nov-2015

Revision date 06-Nov-2015

**Revision Number 3** 

### 1. IDENTIFICATION

Product identifier

Product name

Magnobond 6398-B

Other means of identification

Product Code(s)

6398-B

UN-No

3267

**Synonyms** 

Magnolia 6398-B

Recommended use of the chemical and restrictions on use

Recommended Use

Amine curing agent.

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Magnolia Advanced Materials

4360 NE Expressway

Atlanta, GA 30344

Emergency telephone number

Company Phone Number

**Emergency telephone number** 

(770) 451-2777

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

### 2. HAZARDS IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B

### Label elements

**Emergency Overview** 

### DANGER


Hazard statements

HARMFUL IF SWALLOWED

Harmful in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction



Appearance Off-white to amber

Physical state Paste/Gel

Odor Amine

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dusts or mists

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

**Precautionary Statements - Response** 

Immediately call a POISON CENTER or doctor

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classifled (HNOC)

Not applicable

### Other Information

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

Same of the same

0.002 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Synonyms Formula Magnolia 6398-B. Not Applicable-Mixture

Chemical Name	CAS-No	Weight %	Trade secret
Amine curing agent	Proprietary	30-60	*
Amine curing agent	Proprietary	15-40	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### Description of first aid measures

General advice Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes,

on skin, or on clothing. MAY CAUSE ALLERGIC SKIN REACTION.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately if symptoms

occur.

Skin contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Remove from exposure, lie down. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get

medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Other Information Ventilate the area.

Environmental precautions

Environmental precautions Do not allow material to contaminate ground water system. Beware of vapors accumulating

to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

.......

Methods for cleaning up

Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a

dry and cool place.

Incompatible Products

None known based on information supplied.

### 8. Exposure Controls/Personal Protection

### Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields.

Skin and body protection

Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** 

Wash hands before breaks and after work.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state **Appearance** Color

Paste/Gel

Off-white to amber

Odor Odor threshold Amine

No information available

No information available

**Property** 

Melting point / freezing point

**Boiling Point/Range** Flash point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air

**Upper Flammability Limit** Lower Flammability Limit

Vapor pressure Vapor density **Relative Density**  **Values** 

No information available No information available 107.3 °C 225 °F > 93.4 °C / > 200 °F No information available No information available

No information available No information available No information available No information available

1.0

Remarks/ • Method

Water solubility

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature

No information available
No information available
No information available

Negligible

Kinematic viscosity

Dynamic viscosity

Explosive properties

No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content Negligible

Density

No information available

Bulk density

No information available

### 10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable under recommended storage conditions. Hygroscopic.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Hydrogen cyanide. Ammonia. Hazardous decomposition products formed under fire conditions.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

The product has not been tested

Inhalation

There is no data available for this product.

Eye contact

There is no data available for this product.

Skin contact

There is no data available for this product.

Ingestion

There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 inhalation
Amine curing agent	= 2140 µL/kg (Rat)	= 880 μL/kg(Rabbit)	•
Amine curing agent	= 4290 µL/kg (Rat) = 4290 mg/kg (Rat)	= 2500 µL/kg ( Rabbit )	-

### Information on toxicological effects

**Symptoms** 

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

MUTAGENIC EFFECTS

No information available.

Carcinogenicity

No information available.

Reproductive toxicity STOT - single exposure

No information available. No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

944.00 mg/kg

ATEmix (dermal)

1,490.00 mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

54.168 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Amine curing agent	495: 72 h Pseudokirchneriella subcapitata mg/L EC50	1000: 96 h Poecilia reticulata mg/L LC50 semi-static 100: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 1950 - 2460: 96 h Pimephales promelas mg/L LC50 flow-through	= 32 mg/L EC50 32: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### Bioaccumulation/Accumulation

No information available.

Chemical Name	Log Pow
Amine curing agent	-1.48
Affilia baring agont	

Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste Disposal Method** 

Dispose of contents/container in accordance with local regulation.

Contaminated packaging

Do not reuse container.

### 14. TRANSPORT INFORMATION

DOT

UN-No

3267


**Hazard Class** 

8 (Corrosive)

Packing group

-11

<u>ICAO</u>



## MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

## CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER: BILD INDUSTRIES

PO: 87670

PART NUMBER: AN525-10R24

REV: 3

LOT NUMBER: 80712

MANUFACTURED QUANTITY: 15,000

MILL HEAT NUMBER: 10331560

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

## MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 01/22/16

QUALITY ASSURANCE REPRESENTATIVE

1227 CORPORATE DRIVE WEST ARLINGTON. TEXAS 76008

PHONE: (817) 640-1300 FAX: (817) 649-2685

SOLD TO: 935810-14 AVIALL ACCOUNTS PAYABLE P O BOX 619048 ---DALLAS, TX

75261-9048

**ASC INDUSTRIES** 1225 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006

SALES ORDER NO. 340403-001

SHIP TO:

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261

F.O.B./INCOTERMS: EXWORKS	YOUR ORDER NO	45692037
TERMS: 1/2% 10, Net 30 Days Unless Otherwise Noted	VIA	INVOICE DATE
1/2% 10 DAYS NET 30		The state of the s
Item Quantity Due Quantity Shipped	Part Number	U/M
4		

1500 MS21919WCH4 Description: CLAMP, CRES, RUBBER, LOOP TYPE, CUS

SCHED B: 4008190000 ECCN: EAR99

Mfr: UMPCO, INC

Lot#: UMP115612 Rev: E (1500)

COO: U.S.A. 100%

Cure: 3Q16 Exp: 4Q36 Compound: ---

Batch: Spec: ---

DATE: 08/02/17

PKG 10 PER EACH CONTAINER WEIGHT SHALL NOT EXCEED 50 LBS. DO NOT SHIP IN OTHER THAN PACKAGE OUANTITY. FOR ITEMS THAT HAVE A SHELF LIFE, SUCH ITEMS WILL HAVE THE GREATER OF (i) 80% OF ITS SHELF LIFE OR (ii) TWO (2) YEARS OF SHELF LIFE AT TIME OF SHIPMENT. MFR C OF C REOUIRED.

**SSOMSANIT** 08/29/17

\*\*\*\*\* CONTINUED ON NEXT PAGE \*\*\*\*\*

Gross / Net Wt	No Ctns	
	*CERTIFICATE OF CONFORMA	ANCE*
he material contained in this shipment was produced in accordance	e with applicable specification requirements and certification and hereby limits express or implied warranties to liability for	indicating conformance is on the subject to examination. ASC the cost of replacing or refunding the value of this material. Buver.
sccepting delivery of this material, acknowledges awareness of si	och amitations of experty.	4 /1 V/2 10
fease note that an ASC return material authorization number must raceability is mendatory for all returns. Fleturn of any merchandise	be issued for all returns. Lot will not be accepted after Signed	De selwer
inuit, dure from data of chinement	NG LIST / CERTIFICATION	(GERALD NEWELL)
DATE: 08/02/17 PACKIN	40 LIST / CENTIFICATION	(GENALD HET)

TRACK #: S07604

1227 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006

PHONE: (817) 640-1300 FAX: (817) 649-2685

SOLD TO: 935810-14 AVIALL ACCOUNTS PAYABLE P O BOX 619048 DALLAS, TX

75261-9048

**ASC INDUSTRIES** 1225 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006

SALES ORDER NO. 340403-001

SHIP TO:

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261

F.O.B./INCOTERMS: EXWORKS	YOUR ORDER NO 45692037
TERMS: 1/2% 10, Net 30 Days Unless Otherwise Noted VIA	INVOICE DATE
1/2% 10 DAYS NET 30	U/M
Item Quantity Due Quantity Shipped	Part Number O/W

No Cins Gross / Net Wt \*CERTIFICATE OF CONFORMANCE\* The material contained in this shipment was produced in accordance with applicable specification requirements and certification indicating confo the matches contained in this chipment was produced in accordance who appreciate specimental region disclaims any responsibility for manufacturing or functional defects and hereby limits express of implied in accepting delivery of this material, acknowledges awareness of such limitations of liability. Please note that an ASC return material authorization number must be issued for all returns. Lot rease note that an Abb. court material authorization number mass de issues for all returns. It traceability is mandatory for all returns. Return of any merchandise will not be occupied after minety days from date of shipment.

DATE: 08/02/17 **PACKING LIST / CERTIFICATION**  (GERALD NEWELL)

TRACK #: S07604

AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 100 | 7364637285 | Qty: 20 | CPO: PO039433



# EEACEOOT: OTO | OS COPY | OS/SZY/SO18 | Ship # 36 | September | Se

## MANUFACTURE OF CLAMPS, CLIPS & BRACKETS 7100 LAMPSON AVENUE P.O. BOX 5156 GARDEN GROVE, CA 92846-5158 714-897-3531 -WWW.UMPCO:COM -

Sales Order NO.

427196



SOLD

A S C INDUSTRIES

1227 CORPORATE DRIVE WEST

ARLINGTON, TX 76006

SHIPPING DEST CODE ARLI

**ASC INDUSTRIES** SHIP

1225 CORPORATE DRIVE WEST

ARLINGTON, TX 76006

CLAIMS FOR ERRORS AND ALL DEDUCTIONS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF INVOICE 1 1/2% SVC. PER MO. CHARGED ON ALL PAST DUE AMOUNTS

ORDER DATE

TO

SHIP VIA **UPS** 

F.O.B. COLLECT TERMS

08/16/16

5000

PURCHASE ORDER NUMBER ORDER DATE

1/2 % 10 NET 30 SALESPERSON

**BILL OF LADING NUMBER** 

202527

CONTACT

08/16/16

04

ITEM ON ORDER QUAN.SHIPPED QUAN. BO

DESCRIPTION

S/C

1 - 1600 16#

**REVE** 

MS21919WCH4

10/12/16

2 - 1700 34#

Lot#: UMP115612

3Q16

Qty: 3400 IR Numbers: 188137 189117 189226 189252

Lot#: UMP115612

5000

3Q16

Qty: 1600 IR Numbers: 188137 189117 189226 189252

CUSHION MUST BE 1Q16 OR LATER.

EC

NOTE: LOT # AND CURE DATE REQUIRED

PLEASE SHIP 1-150# UPS COLLECT ABOVE 150#

CALL UNISHIPPERS @ 1-800-999-8727 AND ASK FOR CHRIS HEBB

AND ADVISE PURCHASE ORDER NUMBER FOR ASC PICK UP

SEND COPY OF INVOICE TO CHERYLW@ASCINTL.COM

Page 1

TOTAL CARTONS UPS 750097

TOTAL WEIGHT

50

Printed: 10/03/16

12:27:25 **PURCHASE ORDER NUMBER** 

CUSTOMER NO.

SALES ORDER NO.

"WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE RE-QUIREMENTS OF SECTION 6, 7 & 12 OF THE FAIR LABOR STANDARDS ACT, AS AMENDED, AND OF REGULA-TIONS AND ORDERS OF THE UNITED STATES DEPARTMENT OF LABOR ISSUED UNDER SECTION 14 THEREOF."

A WRITTEN RETURN MATERIAL AUTHORIZATION FORM (RMA)MUST BE OBTAINED FROM UMPCO BEFORE RETURNING ANY MATERIALS FOR CREDIT OR REPLACEMENT. D certifies that parts shipped on above documents conforms in all respects to applicable specifications standards. Complete physical and chemical test reports as required are on file and available for review Processing product testing and inspection control of raw material shall be in conformance with all applicable specifications, drawings and/or standards. Products are produced in a mercury free environment. "When applicable, materials are compliant to DFARS 252.225-7009."

Garden Grove, CA 92841 Customer Dacking Slin

UMPCO, INC. 7100 Lampson Ave.

**Authorized Signature Final Inspector** 

DELIVERY RECEIPT NO. 427196



AVIALA TELEGEBREIED COPY | 03/27/2018 | Ship #: 80 1/20 | Line |

MANUFACTURE OF CLAMPS, CLIPS & BRACKETS
7100 LAMPSON AVENUE P.O. BOX 5158 GARDEN GROVE, CA 92846-5158 714-897-3531 WWW:UMPCO:COM-

Sales Order NO.

427196



SHIPPING DEST CODE ARLI

SOLD TO

ASCINDUSTRIES

1227 CORPORATE DRIVE WEST

ARLINGTON, TX 76006

**ASC INDUSTRIES** 

SHIP

1225 CORPORATE DRIVE WEST TO

ARLINGTON, TX 76006

CLAIMS FOR ERRORS AND ALL DEDUCTIONS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF INVOICE 1 1/2% SVC. PER MO. CHARGED ON ALL PAST DUE AMOUNTS

ORDER DATE

SHIP VIA

F.O.B.

**TERMS** 

SHIPPING DATE

08/16/16

UPS

COLLECT

1/2 % 10 NET 30

PURCHASE ORDER NUMBER ORDER DATE

CONTACT

SALESPERSON

BILL OF LADING NUMBER

202527

08/16/16

04

ITEM ON ORDER QUAN.SHIPPED QUAN. BO

DESCRIPTION

1 - 1600 16#

5000

5000

MS21919WCH4

10/12/16

S/C

Lot#: UMP115612

**REVE** 

2 - 1700 34#

Lot#: UMP115612 3Q16

Qty: 3400 IR Numbers: 188137 189117 189226 189252 Qty: 1600 IR Numbers: 188137 189117 189226 189252

CUSHION MUST BE 1Q16 OR LATER.

EC

NOTE: LOT # AND CURE DATE REQUIRED

3Q16

PLEASE SHIP 1-150# UPS COLLECT ABÔVE 150#

CALL UNISHIPPERS @ 1-800-999-8727 AND ASK FOR CHRIS HEBB

AND ADVISE PURCHASE ORDER NUMBER FOR ASC PICK UP

SEND COPY OF INVOICE TO CHERYLW@ASCINTL.COM

Page 1

**TOTAL CARTONS** UPS 750097

**TOTAL WEIGHT** 

50

Printed: 10/03/16

12:27:25 **PURCHASE ORDER NUMBER** 

CUSTOMER NO.

SALES ORDER NO.

AUTHORIZATION FORM (RMA)MUST BE OBTAINED A WRITTEN RETURN MATERIAL WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE RE-QUIREMENTS OF SECTION 6, 7 & 12 OF THE FAIR LABOR STANDARDS ACT, AS AMENDED, AND OF REGULA-TIONS AND ORDERS OF THE UNITED STATES DEPARTMENT OF LABOR ISSUED UNDER SECTION 14 HEREOF."

MPCO BEFORE RETURNING ANY MATERIALS FOR CREDIT OR REPLACEMENT. UMPCO certifies that parts shipped on above documents conforms in all respects to applicable specifications and/or standards. Complote physical and chemical test reports as required are on file and available for review Processing product testing and inspection control of raw material shall be in conformance with all applicable specifications, drawings and/or standards. Products are produced in a mercury free environment. "When applicable, materials are compilant to DFARS 252.225-7009."

UMPCO, INC. 7100 Lampson Ave.

Garden Grove, CA 92841

**Customer Packing Slip** 

**Authorized Signature Final Inspector** 

DELIVERY RECEIPT NO. 427196

ORDER NUMBER: C113544 SUPERIOR WASHER AND GASKET CORP. SUPERIOR WASHER AND GASKET CORP. 170 Adams Avenue, P.O. Box 5407 Hauppauge, New York 11788 PHONE: (631) 273-8282 FAX: (631) 273-8088 170 Adams Avenue, P.O. Box 5407 Hauppeuge, New York 11788 PHONE: (631) 273-8282 FAX: (631) 273-8088 ACCT NO. 0442 ACCT NO. 0442 Ω AERO-GLEN INTN'L., LLC AERO-GLEN INTN'L., LLC 1702 MINTERS CHAPEL RD. 1702 MINTERS CHAPEL RD. D #116 #116 TX 76051 GRAPEVILLE 7 TX 76051 **GRAPEVILLE** 0 F.O.B. TERMS **PURCHASE ORDER NUMBER** JG 1 % 10 NET 30 ORIGIN DLM 17273 000 NAS1149C0432R 50000 1. REV 4-AN960-C416L REV21 301/302/304 A AMS5901,5516,5513 PASSIVATE AMS2700B METHOD 1 TYPE 6 CLASS .500 X .265 X .032 +.020-.005 +-.010 +-.004 50.00 SPECIAL CHARGES: DFARS CERTS SHIPPING DATES: 07/19/10STKSC 50000 NAS1149C0463R REV 4-AN960-C416 REV21 301/302/304 A AMS5901,5516,5513 PASSIVATE AMS2700B METHOD 1 TYPE 6 CLASS +-.006 +.020-.005 +-.010 SPECIAL CHARGES: DFARS CERTS, SHIPPING DATES: 07/19/10STKSC . Õ0 08/15/10BAL 40000 3. 50000 NAS1149C0532R REV 4-AN960-C516 CLASS SPECIAL CHARGES: DFARS CERTS SHIPPING DATES; 07/19/10STKSC 50000 08/15/10BAL 50000 NAS1149C0563R REV 4-AN960-C516 REV21 301/302/304 A AMS5901,5516,5513 PASSIVATE AMS2700B METHOD 1 TYPE 6 CLASS .562 X .328 X .063 +.020-.005 +-.010 SPECIAL CHARGES: DFARS CERTS .00 SHIPPING DATES: 07/19/10STKSC NAS1149C0632R 50000 REV 4-AN960-C616L REV21 301/302/304 A AMS5901,5516,5513 PASSIVATE AMS2700B METHOD 1 TYPE 6 CLASS Continued on Page \* PARTIAL SHIPMENT **PACKING SLIP** 

AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 120 | 7364793810 | Qty: 200 | CPO: PO039433

ORDER NUMBER: C113544 SUPERIOR WASHER AND GASKET CORP.
170 Adams Averus, P.O. Box 5407
Hauppauge, New York 11788
PHONE: (831) 273-8282
FAX: (631) 273-8088 SUPERIOR WASHER AND GASKET CORP. 170 Adems Avenus, P.O. Box 5407 Hauppeuge, New York 11788 PHONE: (631) 273-6282 FAX: (631) 273-8088 'teres ACCT NO. 0442 **ACCT NO. 0442** AERO-GLEN INTN'I TX 76051 0 AERO-GLEN INTN'L., LLC A STATE OF THE PARTY OF THE PAR F.O.B. TERMS PURCHASE ORDER NUMBER 1 % 10 NET 30 OFLIGH 17273 .625 X .390 X .032 +.020-.005 +-.010 +-.01 SPECIAL CHARGES: DPARS CERTS +-.004 .00 SHIPPING DATES: 07/19/10STKSC NAS1149C0663R 50000 6. REV 4-AN960-C616 REV21 301/302/304 A AMS5901,5516,5513 PASSIVATE AMS2700B METHOD 1 TYPE 6 CLASS 1 .625 X .390 X .063 +.020-.005 +-.010 +-.006 .00 SPECIAL CHARGES: DFARS CERTS 08/15/10BAL 07/19/10STKSC SHIPPING DATES: PAGE PARTIAL SHIPMENT PACKING SLIP **PACKING SLIP** AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 120 | .7364793810 | Qty: 200 | CPO: PO039433

C113544

Trees.

## SUPERIOR WASHER AND GASKET CORP.

170 Adams Avenue, P.O. Box 5407 Hauppeuge, New York 11788 PHONE: (631) 273-8282 FAX: (631) 273-8088

SUPERIOR WASHER AND GASKET CORP. 170 Adams Alenue, P.O. Box 5407 Hauppaupa, New York 11788 PHONE: [831) 273-8282 FAX: (831) 273-8088


**ACCT NO. 0442** 0 AERO-GLEN INTN'L., LLC

**ACCT NO. 0442** H AERO-GLEN INTN'L. ILC HAPEVILLE TX 76051 0

and the state of t		The state of the s		ALCOHOLOGICA		
PURCHASE ORC	DER NUMBER	TERMS	F.O.B.	DLM		JG
17273		1 % 10 NET 30	CHICAN .	DUM	Water Control	
	000 V301140C0433P	UU PRILIUU L LIED O	Loanu		· -	
1. 50	000 NAS1149C04378	X 032			2CX	
	+.020005	010 +004	l l			
	SPECIAL CHARGES	: DPARS CERTS	i			50.00
* * *	SHIPPING DATES:	07/19/10STKSC				• ,
• *	,				2,000	
2. 50	000 NAS1149C0463R		•		the contract of	
	REV 4-AN960-C41	.6 REV21		· · · · · · · · · · · · · · · · · · ·	A 4	•
	301/302/304 A J	MS5901,5516,5513	M A C C	- "	*6*	
	PASSIVATE ARSZ	OOB METHOD 1 TYPE 6 (	-		777	Carried and the second
- ,	+.020005	- 010 +006			/-	
•	CHECTAT CHAPGE	. DPADS CRRTS	$ij \neq \hat{i}$			400
,	SHIPPING DATES	07/19/10STKS	08/15/10B	AL	· ·	* .
			eloch.		400	
3. 50	000 NAS1149C0532R		200	·	ACCO	·
<i>.</i>	REV 4-AN960-C5	GL REVERS	1		4	. ,
•	301/302/304 43	MS 15516/5513	m		Co(#	
	PASSIVATE MSZ	OOB METHOD 1 TYPE 6	CIMES I	· ·	Det	
	.562 X .328	X .032 010 +004	1		ACA.	
	+.020005	: DPARS CERTS	· .		1	.00
	CUIDDING DATES	07/19/10STKSC	Q8/15/10E	IAL		
*					pool	
4. 50	000 NAS1149C0563R		1, 1	- 4	1	
	REV 4-AN960-C5	le rev21			344	•
• •	301/302/304·A	MS5901,5516,5513			41	
·	PASSIVATE AMS2	700B METHOD 1 TYPE 6	CLASS 1		104	a has taged
•	.562 X .328	X .063	.	1 '	700	
Marie de la	+.020005	+010 +006 S: DFARS CERTS				.00
4. (5. ***	SPECIAL CHARGE	: 07/19/10STKSC				
	SHIPPING DATES	, 07/15/1001			מוזה מ	
E E	000 NAS1149C0632R	Salah Barana Barana Barana		5	2000	
J.	REV 4-AN960-C6	16L REV21			ANK	
• •	301/302/304 A	AMS5901,5516,5513			9 10	
•	PASSIVATE AMS2	700B METHOD 1 TYPE 6	CLASS 1			
			l.	. , <b>I</b> .	2 10	1. 1. 1.
•			[ ] .		ace	
			· [	<b>l</b> *		
	PAGE: 1	Continued on Page :	2	İ		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				<u> </u>

CERTIFICATION OF COMPLIANCE

WE CERTIFY THAT THE ABOVE MATERIAL IS MANUFACTURED IN THE U.S.A. AND CONFORMS TO THE SPECIFICATIONS INDICATED IN DRAWINGS AND SPECIFICATIONS ON SAID PURCHASE ORDER AND PARTS ARE MERCURY FREE.



QUALITY CONTROL MANAGER

VIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 120 | 7364793810 | Qty: 200 | CPO: PO039433

C113544

SUPERIOR	WASHER.	AND GASKET CORP	١.

170 Adams Avenue, P.O. Box 5407 Hauppauga, New York 11788 PHONE: (631) 273-8282 FAX: (631) 273-8088

SUPERIOR WASHER AND GASKET CORP.

170 Adams Avenue, P.O. Box 5407
Hauppauga, New York 11788
PHONE (631) 273-8282
FAX: (631) 273-8088

**ACCT NO. 0442** AERO-GLEN INTN'L., LLC GHAPEVILLE IX 76051 ACCT NO. : 0442 AERO-GLEN INTN'L LC GRAPEVILLE TX 76051

	E ORDER N	MBER	TERMS	F.O.B.	DLM		JG
17273		and the second second second second	1 % 10 NET 30		LANGE TO SEC.	Purchase Division and	N.,
7, 1 . 11	- ** · - *	SHIPPING DATES: 07719	12 DCTT/5/7	e i mender	a to the same	Mark of the second of	4. 79
· .z.		SHIPPING DATES: 07/15	1/1021V2C				
6.	50000	NAS1149C0663R					1
٠.	•	REV 4-AN960-C616 REV21 301/302/304 A AMS5901	5516.5513				*
•	•	PASSIVATE AMS2700B MET	THOD 1 TYPE 6	LASS 1	,		f
, ,		.625 X .390 X .063 +.020005 +010	+006				*
•	•	SPECIAL CHARGES: DFA	RS CERTS		•-		3 <b>.</b> 00
valeta net save + 7°55	alleger in grading a side of the	SHIPPING DATES: 07/19	9/10STKSC	08/15/10BA	L .		حمد ، يسيد
	Lange Supplieren		,		·		1
•			68			The second week	4-2
				` .			. <b>*</b>
	,		機構をは こうしゅ				
:	•	A850	: , ,		-		
	·						
	•		4				
	* **		·		7		
				·   .	: .		
							**************************************
					1.		1
			·	The open			Kinga ya ki wa 🎉
							Q.A.
•			• • • • •				5.F
	3						•
* ; ;							į į į
							· .
							MANA
*******		PAGE: 2		. 1		1.	

CERTIFICATION OF COMPLIANCE

WE CERTIFY THAT THE ABOVE MATERIAL IS MANUFACTURED IN THE U.S.A. AND CONFORMS TO THE SPECIFICATIONS INDICATED IN DRAWINGS AND SPECIFICATIONS ON SAID PURCHASE ORDER AND PARTS ARE MERCURY FREE.

QUALITY CONTROL MANAGER

CHARLES QUALITY CONTROL MANAGER

QUALITY CONTROL MANAGER

QUALITY CONTROL MANAGER



1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015

WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

## **PACKING SLIP**

			- ( ) · ( )
Print D	ate · Fe	h-13-2018	10:38 AM

Copyright (c) PENTAGON 2000 Software, Inc.

Printed By : RHAY Print No. : 2

	•		No.	114723		Pg:1/1
Ship To	· (4)		For: A	ccount No. [/	AVIALL-DALLA]	
AVIALL ( Attn: REC 2750 RE DFW Air UNITED	CENTRAL WAREHOUSE CEIVING DEPT. GENT BOULEVARD port, TX 75261 STATES 2-586-1994		AVIAL Attn: N 2700 F DFW		ONG, BUYER	
S.O. No.		Our Ref :			Domestic AW:	
Cust P.C		Your Ref :	DROP OFF		Int'l AWB:	
Picked C		Spec Inst :			Origin :	
	On :Feb-02-2018	Contract			Transpor :	
Ship Via		Lic No.			Nationali :	
F.O.B.	DESTINATION	Expires			Trip/Flig:	
Terms	: NET 30				and the state of t	
	ntact : MERLE LANGTON					
		Cn	Ordered	Qty Shipped	Back Order	Packaging
Line	P/N & Description	DF1	3,000.00	L	0.00	
	Nev: 1 Note: DF1; NUTPLATE: SELF-LM NSN: 5310-00-734-1850 LOT #: 63356 REV: 1 MFG: PAOLO ASTORI SPA CAGE CODE: A3856 Country Of Origin:ITALY					
	UNLESS NOTED ON THE FACE	HEREOF, ANY	AND ALL MA	TERIALS/PAI	RTS SUPPLIED ON	
	THIS S.O./P.O. MAY NOT BE DE	ARS 252.22-70	14 ALT, 1 CC	MPLIANT. AE	RO-GLEN, INTU.,	•
	CRAPEVINE TX LISA WILL N	OT BE HELD IN	VIOLATION	OF THE DFAF	R\$/SPECIALTY	•
	MATERIAL REQUIREMENT. TH	E COMMODITIE	S SOLD BY	AERO-GLEN,	INTL., MUST BE	
	EXPORTED FROM THE UNITE	STATES IN A	CORDANCE	WITH ALL U	S. EXPORT LAWS	•
	EXPORTED FROM THE ONLIE	STATESINA				
	ANY DIVERSION CONTRARY T	U U.S. LAW 13	PROMIDITED	·		1
		ITEM MS2	1071L3=28			
		BATCH 73	64781511	<del>-</del>	BHORTON	
1					02/15/18	CUSTOMER





# INTERNATIONAL LLC COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015

WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

## CERTIFICATE OF CONFORMANCE

Printed By: RHAY Print No. : Print Date : Feb-13-2018 \* 10:38 AM Pg:1/1 No.: 114723 Shipped To: Sold To: Account No. [AVIALL-DALLA] AVIALL CENTRAL WAREHOUSE AVIALL ARTIE RECEIVING DEPT. Attn: Email invoce to apinvoices@aviall.com, ACCOUNTS PAY 2750 REGENT BOULEVARD 2700 Regent Blvd DFW Airport, TX 75261 DFW Airport, TX 75261 UNITED STATES UNITED STATES Tel.: 972-586-1994 Tel.: 972-586-1426 Domestic AW: Our Ref :076811 S.O. No. Int'l AWB: : DROP OFF Your Ref Customer P.: 0045836877 Origin Spec Inst Issued Date: Feb-01-2018 Transpor: Contract Nationali: License No. Ship Via : DROP OFF Trip/Flig: **Expires** : DESTINATION F.O.B. : NET 30 Terms Shipped Dat: Feb-02-201 Our Contact : MERLE LANGTON

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
10	MS21071L3 NUT PLATE SELF LOCKING	DF1	3,000.00EA (Qty.	<b>3,000.00</b> Back 0.00)		

Country Of Origirl:TALY

UID#368795

Pick Ticket / Packing Slip No.: 114723

Rev: 1

Note: DF1; NUTPLATE: SELF-LKG, ST - PG 50 PER

NSN: 5310-00-734-1850

**LOT #: 63356** 

REV: 1

MFG: PAOLO ASTORI SPA

CAGE CODE: A3856 LINE LENGTH: [IN] 663.000

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DEARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2008 Some are, inc. ORIGINAL (COPY.)



#### **PAOLO ASTORI SPA**

Via Mirabella, 9 - Maggiate Superiore 28013 Gattico (NO) - ITALY Tel. (+39) 0322 838847 Fax (+39) 0322 880198

Fax (+39) 0322 880198 Web: www.paoloastori.com



#### CERTIFICATE OF CONFORMANCE

N° 4994

Date 25/05/2015 Pag. 1/1

Purchased by:

AERO-GLEN INTERNATIONAL LLC

PO BOX 878 GRAPEVINE

USA

TX

This is to certify that goods listed below have been inspected in our plant and are up to your orders and to the specifications of the drawings mentioned therein.

Country of origin is ITALY.

Shipped to:
AERO-GLEN INTERNATIONAL
1160 MUSTANG DR - SUITE 300
DFW INTERNATIONAL AIRPORT
75261 DALLAS US

MS2107113(Rev. REV1) 0274252 26/02/2014 7500 N 633				1 /3201 UA	LEAS OF			
1 0274252 26/02/2014 7500 N 633	Pos.		Purchase Order	PO Date	Quantity	U.M.	Batch #	Cure Date Expiry Date
M\$21071L3(Rev. AEV1) 2500/2014 10000 N 523	1	MS21071C3(Rev. REV1)	0274252	26/02/2014	7500	N	63356	
2 20/02/2014 10000 19 655	2 .	MS21071L3(Rev. REV1)	027425/2	26/02/2014	10000	N	63356	٠,

- " PAGAMENTO ANTICIPATO "

Airbus approval # 204788 - BAE Approval # BAE/AG/30631/MAA - Complies with DFARS 252.225-7014. Agusta-Westland QRS01 approval # A/0047

All claims regarding the parts in subject must be reported to seller promptly. Credit or replacement of parts may be limited to those parts for which traceability has been mantained by the buyer. The seller manufacturing lot identification number and return authorization (RMA) must accompany all returns. Any discrepancy claimed by the Customer must be made in writing to seller not later than ninety (90) days after the shipping date. The liability of seller on parts found to be defective is limited to replacement or rework of such goods, at seller option, and in no case is to exceed the invoice value of such goods. Under no circumstance will seller be liable for damages or cost incurred by buyer or subsequent user beyond the invoiced value of the parts in subject.

MOD CERCON-05

## **Certificate of Conformance**

Pick Ticket

3723US

02/13/18 07:47:24

Page: 1 of 1

PRC DESOTO INTL-ASC DALLAS 2750 114th Street, Suite 400 Grand Prairie, TX 75050 UNITED STATES Phone: 817-640-1067

A PPG Industries Company

PRC-DeSoto International, Inc.

Fax: 817-640-1058

Order Date: 11/14/17 Cust. No.: DA090713

net30 Terms: 45777199 Cust. P.O.:

DS-PO#:

Transaction Type: Shipment Terms:

Shipvia: SEE BELOW

Sold To: DA090713

SHELFE

AVIALL SERVICES, INC. P.O. BOX 619048

Remarks: SPEC-AVIALL/ROJEAN 972-586-1314 KNL

DALLAS, TX 75261-9048 UNITED STATES

AMAY 02/15/18

UM Oty Ordered Line

Description

Due Date Promise Date Qty to Ship

02/13/18

Qty Picked

NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT

FEDEX GROUND COLLECT ACCT #123985630

IF 150 LBS OR MORE FEDEX FREIGHT COLLECT (ACCT# 532626056)

DO NOT SHIP PARTIAL LINES! \*\*\* MSDS REQUIRED WITH EACH SHIPMENT \*\*

MUST HAVE 75% SHELF LIFE. EDGE PROTECTORS REQUIRED PRICE IS SUBJECT TO CHANGE

1425B002CA654SKAV

02/13/18 02/13/18

PRC STANDARD PR 1425 B 2 654SK

SPEC: PRC STD 13 REV NOT CONTROLLED

Customer Item: PR1425B2-6OZ=5N

Lot No: 10379254-02

\*Location: 04-01-11 Expires After: 11/1

Lot No. 11001008-02

\*Location: 04-01-12

Expires After: 11/18 In compliance with the chemical registration laws of UNITED STATES

210

019458

Shipped by

PPG Aerospace/PRC DeSoto International certifies that the above material has been manufactured, tested and conforms to all requirements in accordance with applicable specifications. All test data pertaining to batch acceptance requirements defined by the specification for this material is on file and available for inspection on request. For Non-US PPG Customers, we can only offer Technical Data/Test Reports for any ITAR restricted specifications with valid US export autho

AVIALL - TRUE CERTIFIED COPYCIONYPEN2018 | Ship #: 8005664989 | Line: 60 | 7364781249 | Qty: 10 | CPO: PO039433



# |E||?\(O)=(G|| ERNATIONAL LLC COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261

TEL: (817) 328-6600 FAX (972) 456-1015

WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

## PACKING SLIP

Print Date: Nov-13-2017 2:03 PM Printed By: NROA Print No.:

No. 109309 Pg:1/1 For: Account No. [AVIALL-DALLA] Ship To: [1] AVIALL CENTRAL WAREHOUSE **AVIALL** Attn: CAMERON ROSS Attn: RECEIVING DEPT. 2700 Regent Blvd 2750 REGENT BOULEVARD DFW Airport, TX 75261 DFW Airport, TX 75261 UNITED STATES Tel.: 972-586-1994 UNITED STATES Tel.: 972-586-1994 Domestic AW: Our Ref :073986 S.O. No. Int'l AWB: : DROP OFF Your Ref :0045762370 Cust P.O. Origin : Oct-30-2017 Spec inst Picked On Transpor: Contract Shipped On: Nov-13-2017 Nationali: Lic No. Ship Via : DROP OFF Trip/Flig: **Expires** 

F.O.B. : DESTINATION Terms : NET 30 Our Contact : MERLE LANGTON

Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
10	NAS1149D0463J	ND1	45,000.00	45,000.00 ĒA	0.00	
	WASHER FLAT					
	UID390900					
	Rev: 6 Note: WASHER: FLT, AL - PG: 200 PER					,
	NSN: 5310-01-395-8986					
	LOT #: A0008				:	
	REV: 6 MFG: ANILLO					
	CAGE CODE: 10630					
	MATL TYPE: ALUMINUM					
1	Country Of Origin: USA					
		-				611

UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL., GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFAR\$/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.

NAS1149D0463J = 28

BHORTON 11/21/17

**CUSTOMER COPY** 

Copyright (c) PENTAGON 2000 Software, Inc. Ser #:[2000.21078] Ver 9.00.03 Build 88



1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015

-WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

## CERTIFICATE OF CONFORMANCE

Printed By : NROA Print No. : Print Date: Nov-13-2017 2:03 PM Pg:1/1 No.: 109309 Shipped To: Sold To: Account No. [AVIALL-DALLA] AVIALL CENTRAL WAREHOUSE AVIALL
Attn: Email invoce to apinvoices@aviall.com, ACCOUNTS PAYARtrE RECEIVING DEPT.
2700 Regent Blvd
2750 REGENT BOULEVARD 2700 Regent Blvd DFW Airport, TX 75261 DFW Airport, TX 75261 UNITED STATES UNITED STATES Tel.: 972-586-1994 Tel.: 972-586-1426

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
10	NAS1149D0463J WASHER FLAT Country Of Origird/SA Pick Ticket / Packing Slip No.: 109309 Rev: 6 Note: WASHER: FLT, AL - PG: 200 PER NSN: 5310-01-395-8986 LOT #: A0008 REV: 6 MFG: ANILLO CAGE CODE: 10630 MATL TYPE: ALUMINUM	ND1	45.000.00EA	<b>45,000.00</b> . Back 0.00)		
					!	

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2006 Softwere, Inc.

Ser #:[2000.21078] Ver 9.00.03 Build 88

ORIGINAL (COPY.)

ANILLO Industries, Inc.

2090 NORTH GLASSELL STREET, ORANGE, CA 92865-3391 USA PLEASE REMIT TO

P.O. BOX 5586 ORANGE, CA 92863-5586 USA (714)637-7000 (562)924-6632 FAX(714) 637-3022 CAGE CODE: 10630

ASOTES HADCAP OP 150 9351 CERTIFIED

650118

Packing List & Certification

WE ACCEPT VISA/MASTER/DISCOVER/AMEX

SOLD TO

**AERO-GLEN INTL. LLC** 

SHIP TO

ATTN: ACCOUNTS PAYABLE DEPT.

P.O.BOX 878

AERO-GLEN INT'L. LLC 1160 MUSTANG DR **SUITE #300** 

**DFW INTERNATIONAL AIRPORT, TX 75261** 

GRAPEVINE, TX 76099-0878

ORDERED

DATE ORDER REC'D.

ORDER NUMBER

INVOICE DATE

SHIPPED VIA

TERMS

08/08/2017

039528 SHIPPED

DESCRIPTION

FEDXG/567863034

1% 10 DAYS, NET 30 NET WEIGHT

ITEM

100 000 NAS1149D0463J 100 a00

REV 6 /LOT#A0008 /QCR:1,4,6,8,15,99,

1243

ECCN: 9A991 Schedule B#: 7616.10.8000 COO: USNLR

3

25,000 25,000 NAS1149D0432J

REV 6 /LOT#Z6782 /QCR:1,4,6,8,15,99,

ECCN: 9A991 Schedule B#: 7616.10.8000 COO: USNLR

We certify that: 1, item number

2,3

above is manufactured in accordance with the material and processing specifications of this order.

2. We certify that the material on this order conforms in all respects to the current applicable government and/or manufacturer's specification. Test reports are on file and are available for examination on all Anillo manufactured parts. All claims for errors or shortages must be made within 10 days after receipt of goods. No good to be returned without written authorization. All claims for defective material must filed within 30 days of shipment to receive consideration. We do not assume financial responsibility or liability from the use of products sold, other than the replacement value of the products sold, if claimed within the specified time limit above.

<< R.M.A.# REQUIRED FOR RETURNS >>

<< TO THE BEST OF OUR KNOWLEDGE, PARTS ARE MERCURY FREE >>

Certification



STAMP 19 DATE AUG 0 8 2017

Ben Omiduer



2655 Harrison Ave-SW Canton, OH 44706 Ph: 330-430-6190, Fax: 330-430-6199, **Packing Slip** 

Original

Invoice #: 152540 Invoice Date: 12/13/2017 Time: 11:17:12 AM

Page: 1

To: AVIALLAEROSPACE TEXAS PO BOX 619048 DFW AIRPORT DALLAS, TX 75261-0000

USA ATTN: REJOE JACOB Ph: 972-586-1903 Fax: 972-586-7995

Ship To: AVIALL AEROSPACE TEXAS 2750 REGENT BLVD. DFW AIRPORT DALLAS, TX 75261-0000

Cust. PO#: 45794961

Order Date: 12/5/2017

Prepared By:

Customer #: 15195

Buyer: REJOE JACOB WO #:

Terms: NET 30

# of Items: 1 Sales Order: 125650

VAT #:

FOB:

# of Boxes: 27

Ship Log #: 1

Cust VAT #:

AWB:

Ship Via: FED EX MOTOR FREShip Via Acc:

Weight: 817

Ship Order:

Ship Date: 12/13/2017

Shipment:

1					1	1	1	1 1	
•	MS21042L4 NUT LOCKING, MS	65000	0	NE				EA	
	Loc/Whse: 6A1								
	Loc/Whse: BIN BOX			l					
	Control #: 155884-1								
	L-26848 42,200 PCS L-26809 22,800 PCS								
	100 PC PER PACK								
	,								
	TEM MS21042L4=28  BATCH 7364736526	1		UARIO 0/17	) 				
27 BC	C ENCLOSEDI DXES 817 LBS 152534-152540 ARE SHIPPING TOGETHER								£

PARTS MANUFACTURED IN THE USA THANK YOU! Special Instructions: **Authorized Signature:** 



2655 Harrison Ave. SW Canton, Ohio 44706-3047 Phone: 330-430-6190

Fax: 330-430-6199

# CERTIFICATE OF CONFORMANCE


# **AVIALL AEROSPACE**

I hereby certify that on 12/13/17 Airfasco Industries provided the supplies called for by Contract/PO Number in 45794961 in accordance with all applicable requirements for shipment. I further state/ that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States.

Quality Assurance Representative

WM. DENT

PART NUMBER	LOT NUMBER	QUANTITY	PART NUMBER	LOT NUMBER	QUANTITY
MS21042L4	26848	4220	MS21042L4	26809	22800
	1				



WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6. 7, AND 12 OF THE FAIR LABOR STANDARDS ART OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134, ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

AN DI END Sall typuson

## MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

# CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER BILD INDUSTRIES

PO: 91293

PART NUMBER: AN4-17A

REV: 3

LOT NUMBER: 88632

MANUFACTURED QUANTITY: 34,000

MILL HEAT NUMBER: 8292801

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

## **MERCURY FREE CERTIFICATION**

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 08/09/17

QUALITY ASSURANCE REPRESENTATIVE



P.O. BOX 259 PALESTINE, TX 75802-0259 PH: (903)729-3131

Ouality FAX: (903)729-1217

www.etaglobal.com

Packing Slip

343330-000

Page 1 of T

Ship Date:

ISO9001:2008 **AS9100 Rev C** Certificate NO. C0023281

8418 Sold to:

> AVIALL SERVICES (CONTRACT) ATTN: ACCOUNTS PAYABLE PO BOX 619048 DALLAS, TX 75261 UNITED STATES

Ship to:

AVIALL SERVICES (CONTRACT) 2750 REGENT BLVD DFW AIRPORT, TX 75261 UNITED STATES

Customer P.O.	Department			Message	
45339432	500			FEDEX 0752-685	7-2
Payment terms	Salesper 2	В	Ρ	Ship via	Freight terms
1%10NET30	######	Y	Y	Fed X grnd	COLLECT
Ln Ship Quantity UOM Item / D	escription	.7 .			A LOCAL MARK AND AND AND AND AND AND AND AND AND AND

0010

5000 EACH NAS1149C0932R WASHER, FLAT

Control #: 48455100-01-01

900

Mfg Lot #: 8249-2/17/14

MFG: MOELLER MFG & SUPPLY INC Country of origin: UNITED STATES Control #: 49577300-03-01

Mfg Lot #: 8249-8/6/15

MFG: MOELLER MFG & SUPPLY INC Country of origin: UNITED STATES

NAS1149C0932R = 28

**CANDERSON** 03/07/16

ETA Global, Inc. certifies the products furnished on the above referenced order were manufactured in accordance with all applicable part numbers, specifications and descriptions. This statement is supported by a certificate of conformance and/or test reports on file at our facility or the place of manufacture/supply. In addition, the product listed on this packing list meets all requirements of DFARS 252.225-7009 - Restriction on Aquisition of Certain Articles Containing Specialty Metals (formerly DFARS 252.225-7014 & Alt. I (Preference for Domestic Specialty Metal). Supporting documentation is available for review with proper notice (additional costs may be incurred).

Quality Control Authority

ingela ColomanETA Date: 03/ 01/ 16

Distribution/Manufacturing software provided by Rennie, Lindsey and Associates, Inc.

Mention promo code 004189 at www.rla-assist.com/promo.htm

#### MOELLER MFG. & SUPPLY, INC.

805 EAST CERRITOS . ANAHEIM, CA 92805 (714) 999-5551 • FAX (714) 999-5970 http://www.moellermfg.com cage code: 58009

SHIPPER NO. :

82564

# CERTIFICATION

**PACKING LIST** 

ETA GLOBAL, INC.

PO BOX 259

PALESTINE

TX 75802-0259-

Customer #: ETA

ETA GLOBAL, INC.

5500 W. OAK STREET

**PALESTINE** 

TX 75802

P.O. #: 495773

2/1/20	R REC'D.   ORDER 15   49571			COMMENTS	SHIPPED VIA UPS COLLEC	TERMS 1%-10/N-30	12/9/20	015
	ORDERED	SCHEDULED	SHIPPED		PART NUMBER/DESCRIPTION	11.70 10/11/20	1 12/2/2	
003	0RDERED 15,000	I5,000	SHIPPED 15,000	ZUPBILASTM A34	197 601 776	19 ETA CTL#:4957	1849 1.600 80465 6.100	19,20

MANUFACTURED IN THE U.S.A.

MOELLER MFG. & SUPPLY, INC. - PACKING LIST & CERTIFICATION

WE CERTIFY THAT THE MATERIAL ON THIS ORDER CONFORMS IN ALL RESPECTS TO THE CURRENT APPLICABLE GOVERNMENT AND/OR MANUFACTURER'S SPECIFICATIONS.

1. ALL ITEMS ABOVE ARE MANUFACTURED IN ACCORDANCE WITH THE MATERIAL AND PROCESSING SPECIFICATIONS OF THIS ORDER. WE ALSO CERTIFY THAT THESE PARTS HAVE

1. ALL ITEMS ABOVE ARE MARGUAR UNITED IN ACCOMMENCE WITH THE MATERIAL AND PROCESSING STATEMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938. AS AMENDED.

2. THE GOODS COVERED BY THIS INVOICE WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938. AS AMENDED.

ALL CLAIMS FOR ERRORS OR SHORTAGES MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS. NO GOODS TO BE RETURNED WITHOUT WRITTEN AUTHORIZATION. ALL

CLAIMS FOR EFFECTIVE MATERIAL MUST BE FILED WITHIN 30 DAYS OF SHIPMENT TO RECEIVE CONSIDERATION. WE DO NOT ASSUME FINANCIAL RESPONSIBILITY FOR LIABILITY

FROM THE USE OF PRODUCTS SOLD, OTHER THAN REPLACEMENT VALUE OF THE PRODUCTS SOLD, IF CLAIMED WITHIN THE SPECIFIED TIME LIMIT ABOVE.

). PARTS ARE TO BE CONSIDERED ITAR EXEMPT OR DUAL PURPOSE UNLESS OTHERWISE STATED.

of flet				
MICHAEL CLANACHAN, QUALITY MANAGER				
RECEIVED IN GOOD CONDITION BY				
DATE 12/3 hs	PACKED BY	BAGS	CARTONS 2	GROSS WT 90

MOELLER MANUFACTURING. & SUPPLY, INC. . 805 EAST CERRITOS - ANAHEIM, CA 92805 - U.S.A.

VAT#

## **CUSTOMS INVOICE/PACKING SHEET**

SHIPPER: KAPCO GLOBAL

3120 E. ENTERPRISE **BREA, CA 92821** 

11/09/17 01/05/18 CUSTOMER P.O.

INVOICE NO.

REQUEST

5223003-01

5223003-01

Cust#: 30925

SOLD TO: AVIALL DISTRIBUTION GROUP ATTENTION A/P DEPARTMENT

P.O. BOX 619048

DALLAS. TX 75261-9048 US

SHIP TO: AVIALL DISTRIBUTION GROUP

2750 REGENT BLVD. 2750 REGENT BLVD.

DFW AIRPORT, TX 75261 US

Pref. Routing FED EX GROUN VAT#N/A

FINAL DESTINATION:

**UPC VENDOR** 

PROMISED

000000

ONDOCK

SHIPPED

to | CPO: PO039433

P.O. NUMBER	ITEM NO.	PART NUMBER	ICN No.	QTY	UOM	UNIT PRICE	TOTAL VALUE	COUNTRY OF ORIGIN	QUANTITY ORDERED	QUANTITY B.O.	QUANTITY SHIPPED
0045756220	10	MS29512-06		2362.00	EA				2362.00	0.00	2362.00
	ECCN Desc										
	PCAT	•	511391-02	2362.00		Cure: 4Q2017		US			
	MFR- Revi MFR- KAP(	Product: 0568-906 ision: C	WE ARE ACCREDITED	TO FAA			EM MS29512-(	6 = 15	11		
	THE EST/	ITEM(S) IDENTIFIED HEREI BLISHED INDUSTRY, U.S. ERCIAL STANDARD. 15 YRS PER ARP5316	N CONFORM TO AN				ATCH 7364691			AHARPE 10/30/17	R I
	INS	P BY: mxa 10/25/2017		A command of the comm							R
1 - 1 - 1	ton (10) days	rdance with Fair Labor Standards Act of 1938 s after receipts of Goods and in no case shall t sed or implied, exceed the face value of the in	ne hadiny	TOTAL BOX	VALUE:					PAGE	1
These items are controlled by the U.S. if ultimate destination for use by the united may not be resold, transferred, or the street the settlement of the set		t and authorized for export only to the country gnee or end-user(s) herein identified, isposed of, to any other country or to any e or end-user(s), either in their original thout first obtaining approval from the	(III) Kapo	co Glo	bal	WE HEREBY CERTIF	ERTIFICATE OF THAT THE PRODUCT SOUTHEMENTS OF THE APPORMANCE IS ON FILE AND THE APPORMANCE IS ON FILE AND THE APPORMANCE IS ON FILE AND THE APPORMANCE IS ON FILE AND THE APPORTMENT OF THE APPO	UPPLIED IS NE PLICABLE PUR	WLY MANUFACTU CHASE ORDER.		

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

SHIPPED UNDER NLR

UNLESS OTHERWISE SPECIFIED ON LINE ITEM

FOR CUSTOMS PURPOSES ONLY. DO NOT PAY FROM THIS DOCUMENT.

Terms of Sale - Incoterms-2010; EXW: Brea, CA

Kapco Global

### CERTIFICATE OF CONFORMANCE

GARY DePHILLIPS DIRECTOR, CORPORATE QUALITY Thank You For This Order **PACKING LIST** 

VAT#

## **CUSTOMS INVOICE/PACKING SHEET**

SHIPPER: KAPCO GLOBAL

3120 E. ENTERPRISE **BREA, CA 92821** 

11/09/17 01/05/18 CUSTOMER P.O.

INVOICE NO.

REQUEST

5223003-01

5223003-01

Cust#: 30925

SOLD TO: AVIALL DISTRIBUTION GROUP ATTENTION A/P DEPARTMENT

P.O. BOX 619048

DALLAS. TX 75261-9048 US

AVIALL DISTRIBUTION GROUP

2750 REGENT BLVD. 2750 REGENT BLVD.

DFW AIRPORT, TX 75261 US

Pref. Routing FED EX GROUN VAT#N/A

FINAL DESTINATION:

LIPC VENDOR

PROMISED

000000

| CPO: PO039433

ONDOCK

SHIPPED

P.O. NUMBER	ITEM NO.	PART NUMBER	ICN No.	QTY	UOM	UNIT PRICE	TOTAL VALUE	COUNTRY OF ORIGIN	QUANTITY ORDERED	QUANTITY B.O.	QUANTITY SHIPPED
P.O. NOWBER	NO.										1
											98
											736
											+
			The second secon							•	<u>.</u>
								The second secon			1
											<b>9</b>
											9
						#P					Sido C
			Market Assessment								
											120
									A		a tool tool tool
					1		1	1		1	1 / 7

**TOTAL BOX VALUE:** 

The merchandise listed has been produced in accordance with Fair Labor Standards Act of 1938 as amended. No daims allowed unless made within ten (10) days after receipts of Goods and in no case shall the liability assumed by us under the guarantees either expressed or implied, exceed the face value of the invoice for the merchandise in question.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

SHIPPED UNDER NLR

UNLESS OTHERWISE SPECIFIED ON LINE ITEM

FOR CUSTOMS PURPOSES ONLY. DO NOT PAY FROM THIS DOCUMENT. Terms of Sale - Incoterms-2010; EXW: Brea. CA

Kapco Global

CERTIFICATE OF CONFORMANCE

WE HEREBY CERTIFY THAT THE PRODUCT SUPPLIED IS NEWLY MANUFACTURED, AND MEETS ALL REQUIREMENTS OF THE APPLICABLE PURCHASE ORDER. EVIDENCE OF CONFORMANCE IS ON FILE AND AVAILABLE FOR REVIEW UPON REQUEST.

PAGE

GARY DePHILLIPS DIRECTOR, CORPORATE QUALITY Thank You For This Order **PACKING LIST** 

2

TRUE CERTIFIEB



#### PARCO, INC. 1801 S. Archibald Ave. Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

PACKING LIST 31887

Ship To

Bill

To

KAPCO GLOBAL

3120 E. ENTERPRISE ST.

**BREA CA 92821** 

**KAPCO** 

3120 EAST ENTERPRISE STREET

BREA CA 92821

Purchase Order

511634-00

Buyer

COREY AMS P 5315

Specification
Certification Type

JI

Sales Order

15153 08/14/17

Date Entered Account

5486-01

Date Shipped

10/17/17

Ship Via

UPS GRD COL/3RD PTY 1Z9299310353971853

Bill of Lading No. of Cartons

1

Gross Weight (lbs.)

1 8

Line	Customer Part	Rev.	Part	Compound	Quantity	Batch	Date Cured		COO
01	MS29512-06	С	0568-906	4457-65-73	2,903	58613	4Q 17	US	
-	O-RING (DIV	57)			13,393	58536	3Q 17	US	
	65-DUROMETER	NITRI	LE						
					16,296				
				NET WETGHT	6.65	LBS.			





Remarks:

SHIPPING:

SEE SHIPPING INSTRUCTION

SHEET 120 REVISION B.

SHIPPING:

DO NOT SHIP PARTIAL

SHIPPING:

CURE DATE MAY NOT BE MORE THAN

12 QUARTERS OLD.

SHIPPING:

UPS COLLECT ACCT# 979-375

QC CLERK:

COO AND SHELF LIFE REQ ON CERT

SHIPPING:

CALL CSR IF MORE THAN 5 BOXES

**TOTALLING OVER 100LBS** 

MATERIAL CERTIFICATION

See Separate Certification

Packed By Shipped By DC DC DC

ICN: 511391-02, Doc Date: 10/18/2017 CERTIFIED TRUE COPY



#### PARCO, INC. 1801 S. Archibald Avenue Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

MATERIAL CERTIFICATION No. 4921 Type JI

Account Name	KAPCO	Account No.	5486-01
Purchase Order	511634-00	Sales Order	15153-01
Customer Part	MS29512-06 REV. C	Parco Part	0568-906
Material Specification	AMS P 5315 REV. B	Compound	4457-65-73
Product	O-RING	Shipping Order	66415
Elastomer	NITRILE	Date Prepared	10/16/2017
Color	BLACK	Prepared By	C. JUSTICE
Quantity Shipped	2,903		

I certify the following about the parts described above:

- 1. Parco manufactured the parts as follows: Batch 58613 Date Cured 4Q 17.
- 2. The following acceptance testing shows conformance to the requirements of paragraph 4.2.1 of AMS-P-5315, Revision B.

Physical Property	Size <u>Tested</u>	Requirement	Result	ASTM Test Method
Production Parts: Original physical properties: Hardness, Shore A Tensile strength, psi, min. Ultimate elongation, pct., min. Specific gravity	Plied 0568-906 0568-906 0568-906	60 to 70 1000 200 1.30 to 1.34	67 1214 308 1.33	D2240 D1414 D1414 D297
Fluid Aging, ASTM Reference Fuel A 72 hours at 23° C (73° F) Volume change, pct.	0568-906	0 to 10	2	D471 D1414
Fluid Aging, ASTM Reference Fuel B 72 hours at 23° C (73° F) Volume change, pct.	0568-906 0568-906	0 to 50 Pass	23 PASS	D471 D1414 Para 4.5.1
Dry Neckdown Test, Visual	0000-000	. 300		

3. Compound 4457-65-73 is listed on the Performance Review Institute's Qualified Products List PRI-QPL-AMS-P-5315.

Supplemental Information: SHELF LIFE 15 YEARS, COUNTRY OF ORIGIN USA.

Carl Horn, Vice President, Quality

Distribution: 2 copies to customer

Form 2777 Rev. 09/17

ICN: 511391-02, Doc Date: 10/18/2017 CERTIFIED TRUE COPY



#### PARCO, INC. 1801 S. Archibald Avenue Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

Certificate of Freedom from Mercury Contamination No. 12328

Account No. 5486-01 **KAPCO** Account Name Sales Order 15153-01 511634-00 Purchase Order Parco Part 0568-906 MS29512-06 REV. C **Customer Part** 4457-65-73 Compound **NITRILE** Elastomer 10/16/2017 **Date Prepared** 66415 Shipping Order Prepared By C. JUSTICE 2903 **Quantity Shipped** 

 Batch
 Date Cured

 58613
 4Q 17

- Parco has assured that all mercury-bearing instruments, apparatus and equipment are enclosed in a double boundary of containment. Parco does not handle mercury or its compounds anywhere in the manufacturing plant.
- 2. The product above is free from mercury contamination.



Carl Horn, Vice President, Quality

Distribution: 2 copies to customer

Rev. 01/09

ICN: 511391-02, Doc Date: 10/18/2017 CERTIFIED TRUE COPY



2655 Harrison Ave SW Canton, OH 44706 Ph: 330-430-6190, Fax: 330-430-6199, Packing Slip Invoice #: 151853 Original

Invoice Date: 10/18/2017 Time: 2:41:44 PM

Page: 1

To: AVIALLAEROSPACE TEXAS PO BOX 619048 DFW AIRPORT DALLAS, TX 75261-0000 USA

ATTN: REJOE JACOB Ph: 972-586-1903 Fax: 972-586-7995 Ship To:

AVIALLAEROSPACE TEXAS 2750 REGENT BLVD. DFW AIRPORT

DALLAS, TX 75261-0000

Cust. PO#: 45759926

Order Date: 10/18/2017

Prepared By: Customer #: 15195

Buyer: REJOE JACOB

WO #:

Terms: NET 30

# of Items: 1 Sales Order: 125125

VAT #:

FOB:

Ship Via: FED EX GROUND

. # of Boxes: 1

Ship Log #: 1 Cust VAT #:

AWB:

Ship Via Acc: 123985630

Weight: 28

Ship Order:

Ship Date: 10/18/2017

Shipment:

n	Part Number/Description	Shipped	BackOrd	CD	List Price	Disc	Unit Price	NOM	Total Am
1	AN6-36A BOLT, AN Loc/Whse: 4D1 Control #: 154657-1	200	0	NE				EA	
	L-25629 5 PC PER PACK								
,	ITEM AN6 – 36A = 28								
	BATCH 7364684343		DMSANI1 23/17						
					1	1	1	1	1

COFC	ENCLOSED!
1 BOX	28 LBS
<b>PARTS</b>	MANUFACTURED IN THE USA
THANK	YOU!

Special Instructions:

**Authorized Signature:** 



2655 Harrison Ave. SW Canton, Ohio 44706-3047

Phone: 330-430-6190 Fax: 330-430-6199

# **CERTIFICATE OF CONFORMANCE**

## **AVIALL AEROSPACE**

I hereby certify that on 10/18/17 Airfasco Industries provided the supplies called for by Contract/PO Number 45759926 in accordance with all applicable requirements for shipment. I further state/ that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States.

Quality Assurance Representative

WM. DENT

PART NUMBER	LOT NUMBER	QUANTITY	PART NUMBER	LOT NUMBER	QUANTITY
AN6-36A	25629	200			
No. of the Control of					



PACKING SLIP

Print Date: Aug-24-2017

1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261

TEL: (817) 328-6600 FAX (972) 456-1015

WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

Printed By : RHAY Print No. :

No. 106149 Pg:1/1 For: Account No. [AVIALL-DALLA] Ship To: [1] **AVIALL CENTRAL WAREHOUSE AVIALL** Attn: LANA TUMMONS Attn: RECEIVING DEPT. 2700 Regent Blvd 2750 REGENT BOULEVARD DFW Airport, TX 75261 UNITED STATES DFW Airport, TX 75261 UNITED STATES Tel.: 972-586-1994 Tel.: 972-586-1994 S.O. No. :071975 Our Ref Domestic AW: :DROP OFF Int'l AWB: Cust P.O. :0045704381 Your Ref Origin : Aug-17-2017 Spec Inst Picked On Transpor: Shipped On : Aug-28-2017 Contract Nationali: Ship Via : DROP OFF Lic No. Trip/Flig: **Expires** F.O.B. : DESTINATION Terms : NET 30 Our Contact : MERLE LANGTON

Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
10	NAS1149D0463J WASHER FLAT UID390900 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	ND1		50,000.00 EA P/U	0.00 J BY	
		اا			TO 0110011ED	

UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL., GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFARS/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.

ITEM NA\$1149D0463J = 28

Copyright (c) PENTAGON 2000 Software, Inc.

Sur # (2000 21/17) Ver 9.00.03 Build 88



BHORTON 08/31/17

**CUSTOMER COPY** 



1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015

WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTERED PRI CERTIFICATION: 14-2127, 14-2128R

## CERTIFICATE OF CONFORMANCE

Printed By: RHAY Print No.: Print Date : Aug-24-2017 9:43 AM No.: 106149 Pg:1/1 Shipped To: Sold To: Account No. [AVIALL-DALLA] AVIALL CENTRAL WAREHOUSE Attn: Email invoce to apinvoices@aviall.com, ACCOUNTS PAYARtrE RECEIVING DEPT 2750 REGENT BOULEVARD 2700 Regent Blvd DFW Airport, TX 75261 UNITED STATES DFW Airport, TX 75261 UNITED STATES Tel.: 972-586-1426 Tel.: 972-586-1994 Domestic AW: :071975 Our Ref S.O. No. : DROP OFF Int'l AWB: Customer P.: 0045704381 Your Ref Origin Issued Date: Aug-17-2017 Spec Inst Contract Transpor: Nationali: Ship Via : DROP OFF License No. Trip/Flig: F.O.B. : DESTINATION **Expires** : NET 30 Shipped Dat: Aug-28-201 **Terms** Our Contact : MERLE LANGTON

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
0	NAS1149D0463J	ND1	50,000.00EA	50,000.00		
_	WASHER FLAT	,	(Qty.	Back 0.00)		
	Country Of OriginUSA					
	UID#390900	1				
	Pick Ticket / Packing Slip No.: 106149	:				
	Rev: 6	İ				
	Note: WASHER:FLT,AL- PKG 200 PER					
	NSN: 5310-01-395-8986 LOT #: A0008	1				
	REV: 6	•				
	MFG: ANILLO	ì				
	CAGE CODE: 10630	*				
	MATL TYPE: ALUMINUM	,				
			*	:		

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2000 Software, Inc.

Sur #:(2000.21078) Ver 9.00.03 Build 85

**ORIGINAL (COPY.)** 

ANILLO Industries, Inc.

2090 NORTH GLASSELL STREET, ORANGE, CA 92865-3391 USA PLEASE REMIT TO

P.O. BOX 5588 ORANGE, CA 92863-5586 USA (714)637-7000 (562)924-6632 FAX(714) 637-3022 CAGE CODE: 10630



650118

Packing List & Certification

WE ACCEPT VISA/MASTER/DISCOVER/AMEX

SOLD TO

1243

SHIP TO

A

AERO-GLEN INT'L. LLC ATTN: ACCOUNTS PAYABLE DEPT. P.O.BOX 878

AERO-GLEN INT'L. LLC 1160 MUSTANG DR SUITE #300

**GRAPEVINE, TX 76099-0878** 

DFW INTERNATIONAL AIRPORT, TX 75261

DATE	ORDER REC'D	ORDER NUMBER	INVOICE DATE	E SHIPPED VIA	TERMS
08/0	8/2017	039528		FEDXG/567863034	1% 10 DAYS, NET 30
ITEM	ORDERED	SHIPPED	DESCRIPTION		NET WEIGHT

100,000 /00,000 NAS1149D0463J

REV 6 /LOT#A0008 /QCR:1,4,6,8,15,99,

ECCN: 9A991 Schedule B#: 7616.10.8000 COO: USNLR

3

25,000 25,000 NAS1149D0432J

REV 6 /LOT#Z6782 /QCR:1,4,6,8,15,99,

ECCN: 9A991 Schedule B#: 7616.10.8000 COO: USNLR

We certify that: 1. item number 2.3 above is manufactured in accordance with the material and processing specifications of this order.

2. We certify that the material on this order conforms in all respects to the current applicable government and/or manufacturer's specification. Test reports are on file and are available for examination on all Anillo manufactured parts. All claims for errors or shortages must be made within 10 days after receipt of goods. No good to be returned without written authorization. All claims for defective material must filed within 30 days of shipment to receive consideration. We do not assume financial responsibility or liability from the use of products sold, other than the replacement value of the products sold, if claimed within the specified time limit above.

3. \*\*TO THE BEST OF OUR KNOWLEDGE\*\*\*. PARTS ARE MERCURY ESTATES\*\*\*

4. \*\*TO THE BEST OF OUR KNOWLEDGE\*\*\*. PARTS ARE MERCURY ESTATES\*\*\*

Certification

TO THE BEST OF OUR KNOWLEDGE, PARTS ARE MERCURY FREE >>
DATE\_\_\_AUG\_0\_6\_2017

n

TAMP (19

BY Ben Omidurar



2655 Harrison Ave SW Canton, OH 44706 Ph: 330-430-6190; Fax: 330-430-6199,

Packing Slip

Original

Invoice #: 152494 Invoice Date: 12/8/2017

Time: 1:29:00 PM Page: 1

To:

AVIALLAEROSPACE TEXAS

PO BOX 619048 DFW AIRPORT

DALLAS, TX 75261-0000 USA ATTN: REJOE JACOB

Ph: 972-586-1903 Fax: 972-586-7995

Ship To:

AVIALLAEROSPACE TEXAS

2750 REGENT BLVD.

DFW AIRPORT

DALLAS, TX 75261-0000

Cust. PO#: 45793476

Terms: NET 30

Ship Via: FED EX MOTOR FREShip Via Acc:

Order Date: 12/5/2017

# of Items: 1

# of Boxes: 16

Weight: 600

Prepared By:

Sales Order: 125674

Ship Log #: 1

Ship Order:

Customer #: 15195

VAT #:

Cust VAT #:

Ship Date: 12/8/2017

Buyer: REJOE JACOB

FOB:

WO #:

**Authorized Signature:** 

AWB:

Shipment:

tem	Part Number/Description	Shipped	BackOrd	CD	List Price	Disc	Unit Price	UOM	Total Amt
1	AN4-13A BOLT, AN Loc/Whse: 3B7 Control #: 155087-1 L-26683	5000	0	NE			Andrews and the second	EA	
	50 PC PER	entra de la companiona de la companiona de la companiona de la companiona de la companiona de la companiona de							
	ITEM: AN4-13A = 28  BATCH 7364732929		NDREW\$ /15/17	6					
16 BC NV# PART	L C ENCLOSED! DXES 600 LBS 152492-152495 ARE SHIPPING TOGETHER S MANUFACTURED IN THE USA K YOU!								
peci	al Instructions:								



2655 Harrison Ave. SW Canton, Ohio 44706-3047

Phone: 330-430-6190 Fax: 330-430-6199

# **CERTIFICATE OF CONFORMANCE**

# **AVIALL AEROSPACE**

I hereby certify that on 12/08/17 Airfasco Industries provided the supplies called for by Contract/PO Number in 45793476 in accordance with all applicable requirements for shipment. I further state/ that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States.

Quality Assurance Representative

WM. DENT

PART NUMBER	LOT NUMBER	QUANTITY	PART NUMBER	LOT NUMBER	QUANTITY
AN4-13A	26683	5000			

SOLD TO: 935810-14 AVIALL ACCOUNTS PAYABLE P 0 BOX 619048 DALLAS, TX

75261-9048

ASC INDUSTRIES 1225 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006

OMEEO UNUEN NO. 343247-001

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261

YOUR ORDER NO 45780838 F.O.B. JINCOTERMS: EXWORKS INVOICE DATE TERMS: 1/2% 10, Net 30 Days Unless Otherwise Hoted 1/2% 10 DAYS NET 30 Part Number Item Quantity Due Quantity Shipped

50000 MS21043-4 50000

Description: NUT, CRES, SELF-LOCKING

SCHED B: 7318160000 ECCN: EAR99

Mfr: ESNA TX

Lot#: 206243-1 Rev: 3 NAS:14 (7600)

IC: 90 COO: U.S.A. 100%

Mfr: ARCONIC-RFM

COLF 98809 Rev: 3 (42400 IC: 90,91 GOO: MEXICO-1

> PKG 100 PER EACH CONTAINER WEIGHT SHALL NOT EXCEED 50 LBS. DO NOT SHIP IN OTHER THAN PACKAGE QUANTITY. FOR ITEMS THAT HAVE A SHELF LIFE, SUCH ITEMS WILL HAVE THE GREATER OF (i) 80% OF ITS SHELF LIFE OR |(ii) TWO (2) YEARS OF SHELF LIFE AT TIME OF SHIPMENT. \*\*\*\*\* CONTINUED ON NEXT PAGE \*\*\*\*\*

		No Ctns			
Gross	/ Net Wt			•	:
	. :	*CERTIFICATE OF CONFORMANCE*	in an elemen	later en appeniris	sion. AS
e enzybie	ini containi	d in this shipment was produced in accordance with applicable specification requirements and certification indicating confi	plantance is on the tor	ter uniting of this a	material.
eterioris s	ANTE PRESENT	d in this shipment was produced in accordance with applicable specification requirements and commission aboves; the part of th	- 11	80	

traceability is mandatary for all returns. Return of any mandatables will not be accepted after ninety days from doity of shipment.

PACKING LIST / CERTIFICATION DATE: 01/11/18

(GERALD NEWELL)



- TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 80 | 7364764283 | Qty: 300 | CPO: PO039433

TRACK #: S12498

1227 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006

HONE: (817) 640-1300 FAX: (817) 649-2685

SOLD TO: 935810-14 AVIALL | ACCOUNTS PAYABLE P O BOX 619048 DALLAS, TX ASC INDUSTRIES 1225 CORPORATE DRIVE WEST ARLINGTON, TEXAS 76006 343247-001

SHIP TO:

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261

75261-9048

F.O.B./INCOTERMS: EXWORKS	YOUR ORDER NO	45780838
TERMS: 1/2% 10, Net 30 Days Unless Otherwise Noted	VIA	INVOICE DATE
1/2% 10 DAYS NET 30	Part Number	U/M
Item Quantity Due Quantity Shipped	ran rumba	

MFR C OF C REQUIRED.

INTENTIONALLY
LEFT BLANK

TRACK #: S12498

FORTIFICATE OF CONFORMANCE\*

\*CERTIFICATE *

\*CERTIF

parasiting is mandatory for all returns. Returning theys from date of shipment.

DATE: 01/11/18

PACKING LIST / CERTIFICATION

(GERALD NEWELL)
This document is electronically signed

1225 CORPORATE DRIVE W

# 6625 IRON HORSE BLVD N. RICHLAND HILLS, TX 76180

1225 CORPORATE DRIVE W

(817) 281-8816

ASC INDUSTRIES

(817) 498-6974 Fax

LLA	RLINGTO	ON, TX 7	6006	3		H I P AF	RLINGTON	, TX 76	006 / >	
Pri	nt Bateli	Shipp	d	Terms		Purcha	ise Orden		Ship \	/la 🗼
	82530	02/20/20	)17	1% 10th Net 30			)2377		UPS GRO	DUND
Ln#	Orderjed	Shipped			, Pa	1 Number			:	·
001	16425	16425	MS2	21043-4			Rev.	3	EACH	
htm://www.cotton				· · · · · · · · · · · · · · · · · · ·						
44.		Qty:	THIS	st Reports Full S MATERIAL IS DFAR25 125 ESNA Lot#: 206243	52.22	5-7009 ALT I CO	MPLIANT.	Bin	Expedite Fee SHIPPING	0.00
And the second s	a. our	OR AHS PROVID MCCOLL	EY. E UN .UM (	OVER 150 LBS: CALL U ADVISE THEM A SHIPN ISHIPPERS THE ASC P OR RICH DAVIS AT 817	MEN URC	T IS READY FOR HASE ORDER. /	ASC INDUS	TRIES A	ND	
	. <u>-</u>	UPS ACC	T # 1						•	
		t .		pleat # C6A		ope.	2-20-	8017		
H	Mfg C of	i C		✓ Finish Certs		***************************************	Mercury		Test F	Reports Y N
	FAI	· <del>-</del>		Heat Treat Ce	erts		Pulled		Вохес	í
٩	Chem &	Phys		NDT		430,000,000	Bagged		Shipp	ed
ESNA	certifies that	t the materia	ıls, pr	Certifocesses and parts furnished		of Conformance his shipment were p	produced in ac	cordance	with all applicable	drawings,

**Country of Origin - USA** 

CERTIFICATION

specifications and purchase order requirements. Inspection and/or test reports indicating conformance are on file and available for examination. All claims for error, shortage or damage must be made within 10 days after receipt of goods. No goods to be returned without ESNA issued

Return Authorization Number (RMA). We do not assume financial responsibility or liability from the use of products sold, other than the

Cathy Clark

CF 801-3 REV.6 04/15/2016

replacement value of products sold.

AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 80 | 7364764283 | Qty: 300 | CPO: PO039434 horized Signature

<b>REPARATOR</b>		ality Conformanc	<u> </u>
Ta: ASC Indu		ESNA Part Number:	MS21043-4
	porate Drive W	Lot Number:	206243-1
	•	P.O. Number:	202377
Arangwi	, TX 76006		
	Duni Cart to N	Quantity:	16,425
	ceptance Tests per NASM2	AS1291C4 Rev. 14 5027 Rev. 1/NASM	21043 Rev. 3
Material:	ceptance rests per reason.	20/21 Noth 2/1000	
Raw Material Type:		Certification Date:	06/22/2016
Raw Material Confo			ficate of Conformance)
itz P.O. Number:	4047414	Heat Number:	C6A06
/endor: Brown-Pa		_ Material Ciamater:	0.341/0.343
Ÿ	Thread 9	Specification Number:	
	,	(System	22 gaging for .1900-32 and larger)
inish:			
inish Type:	Silver Plate per AMS2410 Re	ev. J	
ubricant Type:	N/A		
wini Strength:			
ixial Strength:	MINN A EON	All commis nines	e tarted most ar evened the
lequired LBS. Minir			s tested meet or exceed the
enstile Strength	7,687 - 7,760	minim	num requirements.
ample Size:	10	Management in LIDC 66	•
lardness Range:	HRC 39.2 - 42.1	Maximum is HRC 4	<del>,</del>
Workmanship:			
Conforms dimensio	nally to NASM25027	Rev. 1/NASM21043 R	ev.∞3 standard.
Bearing Surface Sc	juareness as specified per	NASM25027 Rev. 1	
Torque Test		·	
Required Torque:	3.5 - 30 in lbs	All sample piece	s tested meet or exceed the
Torque Range:	6 - 23.5		éguirements.
Sample Size:	15	****	egunemeno.
emple Size:			
Magnetic Permea	bility:		1 10 (at 40) 5
The magnetic perm	eability of subject parts was to	estea ana rouna to be	less than 2.0 (air = 1.0) for $a$
ield strength of H =	= 200 Oersteds using and India	cator in accordance w	ith ASTM A 342.
Discontinuities:			
Within limits per	NASM25027 Rev. 1	Specification:	ASTM E 1417 Rev. 16
Sample Size:	32		
	32		
	.37		
Accepted:	**************************************		
Accepted: This document cert	ifies that the above parts have	been tested in accor	dance with the listed
Accepted: This document cert	**************************************	been tested in accor rds are on file and av	dance with the listed allable for review.
Accepted: This document cert specifications. All a	ifies that the above parts have applicable techniques and reco	rds are on file and av	ailable for review.
ccepted: This document cert pecifications. All a This certification ap	ifies that the above parts have applicable techniques and recomplies only to the item(s) Identif	rds are on file and av	ailable for review.
ccepted: This document cert pecifications. All a This certification ap	ifies that the above parts have applicable techniques and reco	rds are on file and av	ailable for review.
his document cert pecifications. All a his certification ap ull, without written	ifies that the above parts have applicable techniques and recomplies only to the item(s) identification approval of Fitz Aerospace.	rds are on file and av	allable for review.
Accepted: This document cert specifications. All a This certification apfull, without written	ifies that the above parts have applicable techniques and recomplies only to the item(s) Identif	rds are on file and av	ailable for review.

11/21/2014



6625 Iron Horse Blvd. North Richland Hills, TX 76180 Phone 817-281-8816 Fax 817-479-1574

# **Magnetic Permeability Certification**

**Part Number:** 

MS21043-4

Description:

Nut, Self-Locking, 800°F, Reduced Hexagon, Reduced

Height, Ring Base, Corrosion Resistant Steel

Lot Number:

206243-1

**Material and Finish:** 

A286 Silver Plated

**Heat Number:** 

C6A06

**Magnetic Permeability Per:** 

ASTM A342

Magnetic permeability shall be less than 2.0 (AIR = 1.0) for a field strength = 200 Oersteds using a magnetic permeability indicator.

Magnetic Permeability Indicator S/N:

6331

Calibration Date: 5/9/2016

Results:

Accept

Quantity:

15

We certify that, except as otherwise stated, the listed parts have been processed in accordance with the required specification(s). Records are on file and available for examination

This certification applies only to the item(s) identified above and shall not be reproduced, except in full, without written approval of Fitz Aerospace.

All processes involved in the production of these articles and requiring specific process approval have been so approved and certificates are on file.

INPOCT PROOF **Authorized Quality Assurance Signature**  2/17/2017

Date

David Barber

$B_{RO}$	WN- $P$ ACIFIC, $I$ NC DR./SANTA FE SPRINGS/ $\epsilon$	ORPOR	RATE NIA 90	D 670		M/	ATERIA!	L TES	T REPOR
[	(562) 921-3471 • (562) 921-70	)12 FAX (	40	F7414	[-/-	1-20	642	)	*
SHIP VI	A Section		JOB NO.			4	CE NO. 1 35735		
SFS	**************************************		ORDEA I	O4/29/16		INC	INFORMANCE	WITH TH	CTURED AND TEST
FITZ AEROSPAC 6625 IRON HORS			CUST. P.	O. NO.		- Ana	SECT AS CO	NTAINED	RESENTED HEREII IN THE COMP CURY & RADIOACT
N.RICHLAND HIL				4047414	,	FAEL		T IS MICH	M.
N.RICHEAND THE			OUE DAT	06/20/16		BY:	A. LOP	EZ, T	AB SUP.
FITZ AEROSPAC	ELLC		<del></del>	90016			· · · · · · · · · · · · · · · · · · ·		*.
6625 IRON HORS					· 11.		6/22/201	6 ALE	}
N.RICHLAND HIL	LS, TX 76180			2885	<i>y</i>		DFAR 25	2.225-7	014 ALT. 1
PRO	DUCT ORDERED		QTY.	ORDERED		, <u></u>			COMPLIANT
0.563 DIA TYPE CONVERTED TO 0.341/0.343 DIA COATED COIL			275	50		FA ST DC FE	LSE, FICTI ATEMENTS ICUMENT M	TOUS, OR EI AY BE	FULLY RECORD OR FRAUDUL NTRIES ON T PUNISHABLE / PALLLAW, TITL
CAP OF AMS 57	31L 5732J 5734K 5737P	<b>;</b>		e village vill				*	
GRADE	MILL NO. HEAT NO.				<u> </u>		gan a latin statement floor		
A-286	18 C6A06	anna yn er				PERTIES A	TO DADARII	<del>-</del> V	
CHEMICALA	NALYSIS	AS		MECHAN TENSILE, KSI		YIELD, KSI	ID. VAI YOU	% ELON	
C: 0.03	AL: 0.22	SHIP! PROPE			97.2	HARDNESS	,	SHEAR.	K9i
MN: 0.33	TI: 2.14			%RA		CMMONESO			
P: 0.016	B: 0.007	EIT'F		TENSILE, KSI	YIELD, K	31	% ELON	<u> </u>	SRA
S: <.0003	CB:		_						% ELON
SI: 0.13	TA:	STR RUPI		TEMP 17 1200F	STREES	70	HOURS 4	9.1	20.0
NI: 24.72	CB+TA:		*	TEMP *F	81HE65	,KSI 70	HOURS	8.1	% ELON 18.0
CR: 14.33	CU: 0.09			1200F	. Longer				
	SE: N:	H. 11 PHQ	1650	F 2HRS W/Q.	1325F 1	6HRS A/C			
CO: 0.40	FE:			TENSILE, KSI	161,9	YIELD, KSI	106.7	% ELO	29.0
V: 0.21	PB: <1PPM			% R.A.		HARDNESS	DC 24	SHEAF	ı, Ksi
CA; MG:	BI: <0.1PPM				49.7		RC 34		
		H.T. PRO	CEDURE		\ \ A // \	420EE 4	ende V	r	
ZR<.01				1800F 1HF	( <u>vv/Q,</u> 162.6	YIELD, KSI	106.6	W ELO	N 30.8
ASTM GRAIN SIZE	: 7/8		-			HARDNESS		SHEAL	
ALLVAC, USA				S R.A.	51.2		RC 34		
MACRO:	•	H.T. PRO	OCEDURE				7	÷	
	•			land on the land		YELD, KSI		% ELC	N .
MICRO: OTHER:				TENSILE, KSI		HARDNESS		SHEA	B. PO.

Reviewed
Accepted



4374 Lancaster Highway, Richburg, SC 29729 US

10.5630

#### CERTIFICATE OF TEST Cert No.79621 Rev.1

Batch 110890 Heat -**C6A06** 

Certification Auditor Date : May 23, 2016

Sales Order Line No Sales Order No Purchase Order No Customer Name & Address 65211 M2743N Brown Pacific Inc 13639 Bors Drive Santa Fe Springs CA 80670 US Alloy Weight (1bs) No Pos Cross section Size (in) ATI A286" Alloy 17,203

21

Specifications Compliance Condition Rev Spec Name Compliant 05/29/2015 6-1000 Compliant 05/18/2015 8-400 Compliant 06/18/12 5-4001

Reference Specifications Compliance Condition Class Spec Name Capability AMS 5731 Capability AMS 5732 Capability AUS 5734 Capability AMS 5737 Ghemistry Only AMS 5853

Capable Of AMS 7235 D Chemistry Only GRADE=860, CLASS=A ASTM A453/A453M 2011 Chemistry Only CLASS=A 84 AM.7 C50T35 As Shipped Condition Hot Work Type Heat Treat

Mill Annealed

Material was mill annealed and direct quenched.

Round

Surface Finish

As Hotworked

Marie Administration of Street, and Street

Melt Method Details		
Primary Welt	Facility	Address
Electric Arc Furnace/Argon Oxygen Decarburization	ATI Latrobe Operations	ATI Flat Rolled Products 242 Allvac Lane, Latrobe, PA 15650 US
Remelt	Facility	Address
Fleatrasled Remelt	ATI Lockport Operations	695 Ohio Street, Lockport, NY 14094 US

Rolled

Conversion Method Details

Conversion Type	Facility	Address
	ATT Richburg Operations	4874 Lancaster Highway, Richburg, SC
Rolling		29729 US

Certification Reviewed Accepted.

Cert No.79621 Rev.1

Batch - 110890

Heat - C6A06

20 to 2 mars 1		-
CHE		THY
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Sample Source	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Heat Avg				
Test Facility			ATI Monroe Operations				
Elemente	LON	Method	Average				
C	*	C/S	0,03				
Mn	*	XRF	0.33				
P	8	XRF	0.016				
<u>.                                    </u>	*	ÇS	<0.0003				
Si	*	XAF	0.13				
Cr	%	XAF	14.33				
N1	*	XRF	24.72				
Mo	94	XRF	1.18				
T1	*	XAF	2.14				
8	%	OE8	0.007				
<u>-</u>	4	XRF	0.21				
Co	8	XRF	0.40				
Al	<b>%</b>	XRF	0,22				
Cu	8	XRF	0.09				
Zr	8	XRF	<0.01				

CS = Combustion/IR Detection

OES = Spark Optical Emission

XRF = X-Ray Fluorescence

Sample Source	A. A.	Ladle
Test Facility		ATI Monroe Operations
Elements UOM	Method	
Pb PPM	YEI	<1
B1 PPM	VET .	<0.1

#### Remarks:

WET = Mass Spectroscopy

Test Methods: C/S/O/N = ASTM E1018 (2011); XRF = ASTM E572 (2018), ABTM E1085 (2009), ASTM E2465 (2018); DES = ASTM E415 (2014), ASTM E1086 (2014); ICP = ASTM E2594 (2009/2014); Mass Spec. = ASTM E2823 (2011); GFAA = ASTM E1834 (2011);

### MECHANICAL

As Shipped

PLANT: MILL ANNEALED/DIRECT QUENCHED

"and	×	11	*

-	ice to Busite		Sample Location	Test Yesparature	Ultimate Strength	Initial Disseter	Crosshead Spead	Test Facility
-		:	Ċ	ROOM	91.6	.678	.05	Aburen

#### Remarks:

L = Longitudinal

C = Center

ASTM E8/E8M (2015a)

Elongation determined after fracture.

Ha	rdi	10	S	6

ASTM E18 (2015)

4	Piece ID	Sample Direction	Sample Location	Hardness Velue (Rockwell)	Hardness Type	Test Pagility
	LTECG IN		ùR .	80	MASK	Apuran
1	Service - married and a service of the service of t	14,				i i
-	Remarks:					1
	T = Transver	rse				
	UR = Mid-Rac	lius				

Certification Reviewed Accepted

Cert No.79621 Rev.1

Batch - 110890

Heat - C6A06

Test Specimen Heat Treatment(s)

PLANT: MILL ANNEALED/DIRECT QUENCHED

LABORATORY: 1650F, 2HRS, WQ - 1325F, 16HR9, AC

ıns	

Piece ID	Sample	Eample Location	Test Temperature	Ultimate Strength (kmi)	,2% Yield Strength (kei)	4D-Elongation (%)	Reduction of Area (%)	Initiel Gage Length (in)	Initial Dissector (in)	Crosshead Speed	Strein Rate (in/in/min)	Test Facility
\ <del>-</del>	1	c	ROOM	161.9	106.7	29.0	40.7	1.00	.251	.05	.005	Aduren

#### Remarke:

L = Longitudinal

C = Center

ASTM EB/EBM (2015a)

Elongation determined after fracture.

Stress	KUPTURE				[e_ini_]	Ber Rupture	Test Facility
		Sasple Location	Test Temperature (F)	4D-Elongation (%)	Initial Disaster	Code	the harred
1		c	1200	20.0	.2627	Spooth Section Rupture	Adureh
1	1	<u> </u>		L	10.20		

Stress Rupture Load

Lond (kul)	Lond (psi)	Time (Hours)
	70,000	49.1
76.0	75,000	57.7
80.0	80,000	71.0
85.0	85,000	74,5

#### Remarke:

L = Longitudinal

C = Center

Combination Smooth and Notch Test.

ASTM E189 (2011), ASTM E292 (2009\*1)

حرابا	rd	20	-	10
пu	ı u	110	3	ø.

-	1101 011000			Hardness Value (Rockwell)	Hardness Type	Test Facility
- 1	Piece ID	Cample Direction	Sumple Location	Hardness Value (RockWell)	Television of the second secon	
- 1	Liene in	Commence of the control of the contr			HAC	Acuren
· £.	200 No. 300 Telephone 300 Tele	lv	MA	34	- Tables	Acceptation of the second seco
- 3	3 :	1 *	Language and the second			•

#### Remarks:

T = Transverse

MR = Mid-Radius

ASTM E18 (2015)

# Test Specimen Heat Treatment(s)

PLANT: MILL ANNEALED/DIRECT QUENCHED

LABORATORY: 1800F, 1HR, WQ - 1825F, 16HRS, AC

Tans	d	1	۵	

Tens	-	Sample Location	Test Temperature	Ultimate Strength (kai)	gw Yield Otrength (kel)	40-Elongetion (*)	Reduction of Area (%)	Initial eagu Length (in)	Initial Dispeter (IN)	Crossheed Speed	Strain Rote (in/in/min)	Tret Pacility
	<del>                                     </del>	<u> </u>	ROOM	162.6	108.0	30.8	81.2	1,00	, 252	.05	.005	Acuren

#### Remarks:

L = Longitudinal

C = Center

ASTM EB/EBM (2015a)

Elongation determined after fracture.

determin	Cress coa 10		Sample Location	Tost Temperature (F)	4D-Elongation (%)	Initial Dismeter (in)	Bar Nupture Code (None)	Test Facility
+		L	Ç	1200	18.0	.253	Smooth Bestion Rupture	Acuren ,
1'"				<u> </u>	<u></u>	A		, , , , , ,

Stress Rupture Load

 Load (kel)	Time (Hours)	
70.0	48.1	
75.0	57.8	
80.0	72.0	
85.0	83.9	
The state of the s	84.0	

Certification Reviewed Accepted

Cert No. 79621 Rev. 1

AT1 Specialty Materials-4374 Lancaster Highway, Richburg, SC 29729 US

Heat - C6A06

Hardness

Piece ID	Sumple Direction	Spaple Location	Hardness Value (Rookwell)	Hardness Typs	Test Facility	
1	<u> </u>	MA.		1	Aguren	
Romarks:						
T = Transver	rse	,				
MR = Mid-Rec	dius	,				
ASTM E18 (20	015)					1

#### METALLOGRAPHY

As Shipped

PLANT: MILL ANNEALED/DIRECT QUENCHED

Grain Size

-	Piece ID	Sample Direction	Bample Location	Structure Typs	Uniform ARTM	Etchent	Magnification	Test Pacility
	1	L	8-6	Uniform	8	Modified Kallings	100X	Acuren

Remarks:

L = Longitudinal

8-8 = Surface to Surface

Average Grain Size Test Method = ASTM E112 (2013)

Ultrasonic

Test Facility: ATI Richburg Operations

Remarks:

Material was ultrasonically inspected at intermediate billet size and found acceptable

Macro

Test Facility	Etoharit .	Magnification
ATI Bakers South Operations	Ferric Chloride	1X
Remarks:		The state of the s
Material was macro evaluated at interme	diate billet size and found acceptable.	

Outside Source Addresses

	<u> </u>	
٠. [	Outside Testing Laboratory	
	Facility	Address
	ATI Monroe Operations	2020 Ashcraft Avenue, Monros, NC 28110 USA
	Acuren	4974 Lancaster Hwy., Richburg, SC 29729 USA

#### Special Remarks

Material is compliant with DFAR 252.225.7009.

GEAE 8-400 (GT193) Supplier Codes:

ATT Specialty Materials Monroe No. 87012 Acuren No. 17605

#### Remarks

Material has been produced, sampled, inspected and tested in accordance with the oustomer purchase order and referenced specifications and conforms to the regulrements unless otherwise noted in this Certificate of Test.

If customer purchase order does not specifically reference a revision to a specification, ATI Specialty Materials will work to the latest revision on file and in effect at the time of order placement.

ATI Specialty Materials has complied with all producer requirements of A66279.

Any chemical elements analyzed and found to have values below the actual limits of detection may be reported as < less than or reported at the detection level.

When values are reported to the significant places called for in the specifications, rounding will be done in accordance with ASTM E29.

This is to certify that during the manufacturing, handling, testing and inspection, this material did not come in direct contact with mercury or any device employing a single boundary of containment.

ATI Specialty Materials products have not come in contact with radioactive materials during manufacturing or processing.

No weld repair has been performed on this material.

Material melted and manufactured in the United States of America unless otherwise noted in this Certificate of Test.

Material Safety Data Sheets (MSDS) - View or print from our site: www.atimetals.com Printed copies are available upon request from the ATI Specialty Materials Sales Department.

ATI Specialty Materials certifies that it has procedures in place to provide reasonable assurance that any non-scrap/non-recycled Conflict Minerals (Columbite-Tantalite/Coltan and its derivative metal Tantalum; Cassiterite and its derivative metal Tin; Wolframite and its derivative metal Tungsten; and Gold) included in the materials supplied under this purchase order do not originate from the Democratic Republic of Congo or specified adjoining countries (Covered Countries) as defined by and in accordance with Section 1502 of the Oodd-Frank Wall Street Reform and Consumer Protection Act of 2012. ATI Specialty Materials will provide a CMRT form annually upon request.

Certification

continued...

Reviewed Accepted

Cert No.79621 Rev.1

Page 4 of 5

ATT Spēcialty Dateriule-4374 Lancaster Highway, Richburg, SC 20729 US

Batch - 110890

Heat - C6A06

The recording of felse, fictitious, or fraudulent statements or entries on this document may violate Federal statutes, including but not limited to Title 18, Chapter 47 of the United States Code and may be punishable as a felony.

This Certificate of Test shall not be reproduced, except in full, without the written approval of ATI Specialty Materials Quality.

Certification Reviewed Accepted

# **AAXON LABS, INC.**

4113 MURRAY AVE HALTOM CITY, TX 76117 TEL (817) 514-6900

## CERTIFICATION

Certification Neviewed Accepted 3

CUSTOMER:	ESNA	P.O. #:	4051149	1001114A-	17
PRIME:		CUSTON	//ER JOB #:	LOT# 206243-	1
SUPPLIER #:		JOB #:	91930		**************************************
QUANTITY:	100000				
PART NUMBE	R: MS21043-4, REV: 3				
PART NAME:	Hear # C6A06	cp	A-17	- 2017	
MATERIAL:	A286 CRES AGE HARDENED	i,			, , v'.
TEST/PROCE	SS PERFORMED: BLASTED PARTS W	ITH 180 GRIT ALL	KO MUNIMU	KIDE.	

\* \*

**TEST RESULTS:** 

QUALITY MANAGER: Gay Brothers DATE: 01/19/2017

Gleco Plating Inc Certification

. Order No.: 728042

Date: 02/14/2017

Entry Date: 01/25/2017

Page: 1 of 1

FITZ AEROSPACE 6625 IRON HORSE BLVD.

Purchase Order No.: 4051417

Packing List No.:

Material: Steel

1-1-1-1-WEDE

Gleco Plating hereby certifies that the process used for this order is in compliance with the drawings and/or Purchase Order's Specifications.

Quantity

Part Number / Part Name / Part Description

100,000

MS21043-4, REV 3, LOT # 206243-1

Pounds

BARREL

MR 2015

STAINLESS STEEL (333 PCS. PER POUND)

Certification Hoviewed

AMS 2410, REV.J

N. RICHLAND HILLS TX 76180

Accepted

C Spec:

Scale Minimum Maximum

Number

Insp. Type **Customer Requirements:** 

Visual

Results:

Visual

Received By:

Date

Gleco Plating, Inc. 972-475-4300

Gleco Plating, Inc., 2220 Grisham Drive, Rowlett, Texas 75088

2220 Grisham Drive Rowlett TX 75088

Phone: (872)-475-4300

Certified By:

Pax: (872) 475-4139



6625 Iron Horse Blvd.

North Richland Hills, TX 76180 Phone 817-281-8816 Fax 817-479-1574

Feb 15, 2017.

### .250-28 FASTENER TENSILE STRENGTH - NASM 1312-8

Report No. 943

Test Date 15-Feb-17 Testing Machine Smart Series

Part #: MS21043-4

Technician D. Barber

Fastener Material A286

CRC 2-17-2017

7 deat # CGAOG Req. Tensile (LBF MIN) 4580

Load Cell S/N (TVI106550), Units (Lbs.) 30000

Lot Indentification 206243-1

Test Bolt Part #: MS21250-04032

Test Bolt Lot #:

Crosshead Speed (Inches / min ) or Rate

Displacement Sensor XHD\_100 (XHD100)

		Tensile Tensile Str.	<b>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</b>
Test No	Specimen ID	(lbs) (psi)	
7621	1-01	7,729 158,724	
7622	1-02	7,746 159,062	
7623	1-03	7,722 158,569	
7624	1-04	7,734 158,825	
7625	1-05	7,687 157,860	
7626	1-06	7,691 157,948	
7627	1-07	7,760 159,363	***************************************
7628	1-08	7,733 158,798	
7629	1-09	7,741 158,976	
7630	1-10	7,726 158,653	
	Mean	7,727 158,678	r
	Median	158,724	
	Std Dev	23 466	
	Maximum	7,760 159,363	
	Minimum	7,687 157,860	
	Range	73 1,503	

This document certifies that the above parts have been tested in accordance with the listed specifications. All applicable techniques and records are on file and available for review.

This certification applies only to the item(s) identified above and shall not be reproduced, except in full, without written approval of Fitz Aerospace.

Rev. 2

07/02/2013

**Bodycote** 

2005 MONTGOMERY STREET - FORT WORTH, TEXAS 76107-4012 TEL. 817-737-6651 METRO: 817-429-2248 FAX: 817-737-2221

Certification Reviewed Accepted

Bill To

ESNA (formerly FMI-Fitz) 6625 Iron Horse Blvd. N. Richland Hills, TX 76180 Ship To

Ship To: 34-27985-1 ESNA (formerly FMI-Fitz) 6625 Iron Horse Blvd. N. Richland Hills, TX 76180

4050034-1-1

CERTIFICATION

Order No 164320		PO Number 4050834	PL Number	Received 12/5/2016 3:46:52 PM		*
		Requirements	n te vicen de tempe de la compania del la compania de la compania de la compania del la compania del la compania de la compania de la compania del la compan		Value	
		Surface Hardness Min (H	RC)	and the state of t	24.0	-
1000000	400 400	Part No. MS21043-4	Part Name Rev.3 Lot:206243-1	Material A-286		
		Pert Description Age to 130 KSI Min.	er Aus en 1994 Martin Casardan ès sur l'Adrin en 1994 au dété de auménie de 19 June 19 Aussie ausgementique e	The same are the same and the same are the s	A CONTRACTOR CONTRACTO	<del></del>
,		Heat 4	CUAOG	CAC 2-17-20	777	<del></del>
100000	400	Total	ай со сто- шилу не истои циверский постору в принципаний в принципаний в принципаний в принципаний в постору в Постору в принципаний в принципаний в принципаний в принципаний в принципаний в принципаний в принципаний в при		the state of the same of the s	

We hereby certify that the parts described above were given the following Heat Treatment and that the temperatures and test results were obtained with standard approved methods.

Order has been processed in accordance with all requirements of purchase order instructions.

	Readings
	39.2
	42.1
Quantity Inspected = (integer)	5

Processed per AMS2759/3F Fce#14 - Vacuum Aged @ 1325'F for 16 Hours - Gas Fan Cooled

\*Parts tested 393-427 HK and readings converted to HRC

All processes involved in the production of these articles and requiring specific process approval have been so approved and certificates are on file subject to examination.

All parts were tested in accordance with ASTM E10-15a, ASTM E18-16, ASTM E384-16, and ASTM A956-12, ASTM E-1004-09 as applicable.

Bodycote Thermal Processing - Fort Worth, Texas NADCAP Certificate#3519165831

AS9100C Certificate#13017ASR001

Certified: 12/28/2016

By: Erica Gill Customer Service Rep



6625 Iron Horse Blvd. North Richland Hills, TX 76180 Phone 817-281-8816 Fax 817-479-1574

### **Locking Torque Test Room Temperature**

Part Number:

MS21043-4

Description:

Nut, Self-Locking, 800°F, Reduced Hexagon, Reduced Height,

Ring Base, Corrosion Resistant Steel

Lot Number:

206243-1

Material and Finish:

A286 Sliver Plated

**Heat Number:** 

C6A06

Wrench S/N:

0613082896

Calibration Date: 1/9/2017

Torque Value:

Maximum Inch pounds:

30

Quantity Tested:

15

Minimum inch pounds:

3.5

Quantity Accepted: 15

Quantity Rejected: 0

Parts were tested in accordance with the following drawings, procurement specifications, and controlled forms:

NASM21043 Revision "3"

NASM25027 Revision "1"

CF 801-30 Revision "4"

7th	15th	
Max Min  1 13.5 / 13 2 10.5 / 10 3 9.5 / 9 4 18 / 17 5 16.5 / 16 6 17 / 16.5 7 13 / 12.5 8 14.5 / 15 9 11.5 / 11 10 11 / 10 11 10.5 / 9.5 12 12.5 / 12 13 16.5 / 16 14 17 / 16.5 15 12.5 / 12 16 / 17 18 / 19 20 / 21 22 / 23 24 / 24	Max Min  1 11 / 11 2 7.5 / 7 3 7.5 / 6 4 15.5 / 14.5 5 13 / 12 6 14 / 12.5 7 10 / 9 8 11 / 12 9 8.5 / 8 10 7.5 / 7.5 11 8 / 7 12 9.5 / 9 13 12.5 / 12 14 13 / 11.5 15 9 / 8.5 16 / 17 18 / 11 19 / 20 21 / 22 23 / 24	
	Max Min  1 13.5 / 13 2 10.5 / 10 3 9.5 / 9 4 18 / 17 5 16.5 / 16 6 17 / 16.5 7 13 / 12.5 8 14.5 / 15 9 11.5 / 11 10 11 / 10 11 10.5 / 9.5 12 12.5 / 12 13 16.5 / 16 14 17 / 16.5 15 12.5 / 12 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 /	Max         Min         Max         Min           1         13.5         / 13         1         11         / 11           2         10.5         / 10         2         7.5         / 7           3         9.5         / 9         3         7.5         / 6           4         18         / 17         4         15.5         / 14.5           5         16.5         / 16         5         13         / 12           6         17         / 16.5         6         14         / 12.5           7         13         / 12.5         7         70         / 9           8         14.5         / 15         8         11         / 12.5           9         11.5         / 11         9         8.5         / 8           10         11         / 10         10         7.5         / 7.5           11         10.5         / 9.5         11         8         / 7           12         12.5         / 12         12         9.5         / 9           13         16.5         / 14         13         / 11.5           15         12.5         / 12         / 15<

This document certifies that the above parts have been tested in accordance with the listed specifications. All applicable techniques and records are on file and available for review.

This certification applies only to the item(s) identified above and shall not be reproduced, except in full, without written approval of Fitz Aerospace.

Authorized Quality Assurance Signature David Barber

2/17/2017

07/01/2013

# AAXON LABS, INC.

4113 MURRAY AVE. HALTOM CITY, TX 76117 (817) 514-6900



COLLIN CAMPAN Deweivel Accepted

### PENETRANT INSPECTION

	PO#: 4051149 4051149-1-1
CUSTOMER: ESNA	1.0.11.
PRIME:	AL JOB #: 91930
SUPPLIER #:	CUSTOMER JOB #: LOT# 206243-1
QUANTITY: 32	AL PROCEDURE #: 200M
PENETRANT 32 PCS TO REPRESENT 100,	000
PART #: MS21043-4, REV: 3	
PART NAME: Heat # C6AO6	CPC 2-17-2017
MATERIAL: A286 CRES AGE HARDENED	
INSPECTED PER: ASTM-E-1417-16	
ACCEPTANCE CRITERIA: MIL-STD-1907-CN5, GRADE A	
PROCESS OR GROUP: TYPE I, METHOD A, LEVEL 3, F	FORM d
AREA EXAMINED: 100%: X OTHER:	
PRE-CLEANING: SOLVENT: ALKALINE:	OTHER: RECEIVED CLEAN
ETCH RATE: TIME IN: _:: TIME OU	T: _: ; ETCH AMT PER SURFACE:
POST-CLEANING ALKALINE: WATER:X S	SOLVENT: OTHER:
INSPECTION RESULTS: QTY ACCEPTED: 32	
QTY REJECTED: 0	
COMMENTS:	
THIS DOCUMENT CERTIFIES THAT THE ABOVE PARTS HAS SPECIFICATIONS. ALL APPLICABLE TECHNIQUES AND RE	/E BEEN PROCESSED IN ACCORDANCE WITH THE LISTED CORDS ARE ON FILE AND AVAILABLE FOR REVIEW.
APPROVED BY: Gary Brothers	LEVEL 3 INSPECTOR DATE: 01/19/17
AL	
P1	



Shipper ID: 994049 🛴 -

Page: 1

Sold To: 516 ASC INDUSTRIES INC 1227 CORPORATE DRIVE WEST ARLINGTON, TX 76006 USA

Ship To: 51600589 ASC INDUSTRIES 1225 CORPORATE DR. WEST ARLINGTON, TX 76006 USA

Shipped From:

ARCONIC FASTENING SYSTEMS AND RINGS NEWBURY PARK, REPUBLIC OPERATIONS 1300 Rancho Conejo Blvd Newbury Park; CA 91320

Ship Date: 05/18/17

Print Date: 05/18/17

Time: 14:02:03

Ship Via: REFER TO NOTES

TEL: (805) 262-4200

Container/Weight:

INCO Terms: FCA AFSR NEWBURRY PK

Carrier Shipment Ref: 994049

Bill Lading #:

BUUYER: HAILEY BERGHOLM

CHEM & PHYTS TEST REPORTS - AFS COMPLIES WITH DFARS 252.225-7009E

MFG C OF C WITH LOT NUMBER AND REVISION THEVEL REQUIRED FOR EVERY CERTIFICATED. OF C WITH LOT NUMBER REQUIRED AT NO CHARGE.

ABOVE 150LBS. CALL UNISHIPPERS AT 1-800-231 9613 ASK

PROVIDE ASC PO.

MUST BE LATEST REVISION LEVEL

SHIPPING TOLERANCE: +0 -0%

\*\*\*\* PMA PRODUCT IS NOT TO BE SUPPLIED TO ASC UNLESS

BY PURCHASE ORDER. \*\*\*\*

\*\*\*\* PLEASE ADD SERIAL NUMBERS TO CERTS AND PACKING SLEES. \*\*\*\*

CERTIFICATIONS FROM EACH INTERMEDIARY IN THE SUPPLY CHAIN ARE REQUIRED.

Sales Order: F595863 Order Date: 03/06/17 Purchase Order: 204526

Remarks: LIDYA X6053

Rev Qty Shipped Qty B/O UM Type Ln Item Number Description

\_\_\_\_\_\_ 97360.0 2640.0 EA Fingood W1-Hex-Standard 1\_RH30C4...

. Cust Line #: 1

MS21043-4

Customer Item: Required Date:

03/06/17 Promised Date:

08/31/17 97,360.00

COO: MX

Loc/Lot: f-2030 HTS CODE: 7318160060

SCHEDULE-B NUMBER: 7318160000

ECCN: EAR99

The export classification appears above. You are responsible for all related

98809

export license requirements.

REPUBLIC FASTENER MEG. CORP.

ALL CLAIMS REGARDING THIS DRUCH MUST BE REPORT TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH
TRACEBILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST
TRACEOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEDGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THI
DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING

VIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line; 80 67364764283 | City: 300 | CPO: PO039433





Shipper ID: 994049

Page: 2

Sold To: 516 ASC INDUSTRIES INC 1227 CORPORATE DRIVE WEST ARLINGTON, TX 76006 USA

Ship To: 51600589 ASC INDUSTRIES 1225 CORPORATE DR. WEST ARLINGTON, TX 76006 USA

Shipped From: ARCONIC FASTENING SYSTEMS AND RINGS NEWBURY PARK, REPUBLIC OPERATIONS 1300 Rancho Conejo Blvd

Newbury Park, CA 91320 TEL: (805) 262-4200

Ship Date: 05/18/17 Print Date: 05/18/17 Time: 14:02:03

Ship Via: REFER TO NOTES INCO Terms: FCA AFSR NEWBURRY PK Container/Weight:

Carrier Shipment Ref: 994049

Bill Lading #:

97,361

Qty B/O UM Type Rev Qty Shipped Description Ln Item Number EA CERT 2 RSPLC75 Raw Mtl Cert cust bine #v-Customer Item: Required Date: 03/06/17 Promised Date: COO: 1.00 Loc/Lot: ship HTS CODE: 000000000 SCHEDULE-B NUMBER: 0000000000

\*\*\* Total Qty Shipped:

REPUBLIC FASTENER MFG. CORP.

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORT TO SELLER FROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEBILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEDGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (80) DAYS AFTER THE SHIPPING DATE APPEARING HEREON.





Shipper ID: 994049

Page: 1

Sold To: 516 ASC INDUSTRIES INC 1227 CORPORATE DRIVE WEST ARLINGTON, TX 76006 USA

Ship To: 51600589 ASC INDUSTRIES 1225 CORPORATE DR. WEST ARLINGTON, TX 76006 USA

Shipped From: ARCONIC FASTENING SYSTEMS AND RINGS NEWBURY PARK, REPUBLIC OPERATIONS 1300 Rancho Conejo Blvd Newbury Park, CA 91320 TEL: (805) 262-4200

Nobice to Subsequent Pulchaser of Reparks:

These articles are imported. The requirements of 19 U.S.C. 3304 & DFR pair 394 provide that the articles or intelless containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the article or container will permit, in Such a manner as to indicate to an uttimate purchaser in the United States, the English hame of the country of origin of the article.

Ship Date: 05/18/17 Print Date: 05/18/17 Time: 14:02:03

Ship Via: REFER TO NOTES INCO Terms: FCA AFSR NEWBURRY PK Carrier Shipment Ref: 994049

Container/Weight:

Bill Lading #:

BUUYER: HALLEY BERGHOLM CHEM & PHYTS TEST REPORTS - AFS COMPLIES WITH DFARS 252.225-7009E MFG C OF C WITH LOT NUMBER AND REVISION LEVEL REQUIRED FOR EVERY P/N CERTIFICATED, OF C. WITH LOT NUMBER REQUIRED AT NO CHARGE.

SHIP VI ALL ES US LABOVE ACT B ) ABOVE SOLES ALL ULISHEPPERS AT B ) A PROVIDE AS G. PO MUST BE ATEST FLVISTON LEVEL

SHIPPING TOLERANCE: +0 -0%

\*\*\*\* PMA PRODUCT IS NOT TO BE SUPPLIED TO ASC UNLESS SPECIFICALLY AUTHORIZED BY PURCHASE ORDER. \*\*\*\*

\*\*\*\* PLEASE ADD SERIAL NUMBERS TO CERTS AND PACKING SLIPS. \*\*\*\* CERTIFICATIONS FROM EACH INTERMEDIARY IN THE SUPPLY CHAIN ARE REQUIRED.

Sales Order: F595863 Order Date: 03/06/17 Purchase Order: 204526 Rev Oty Shipped. Oty B/O UM Typs 

Remarks: LIDYA X6053

Description Ln Item Number \_\_\_\_\_

2640.0 EA Fingood

1 RH30C4 Rev. K W1-Hex-Standard 97360.0

RH30C4 NEC. W1-Hex-Standard 97350.0 2640.0 EA F

Cust Line #: 1

Customer Item: MS21043-4

Required Date: 03705/17 Promised Date: 08/31/17

Loc/Lot: f-2030 98809 97,360.00 COO: MX

HTS CODE: 7318160060

SCHEDULE-B NUMBER: 7318160000 ECCN: EAR99

The export classification appears above. You are responsible for all related

export license requirements, Dale of Manufacture: 2-08-17

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

REPUBLIC FASTENER MEG. CORP.

REPUBLIC FASTENER MAG. CORP.

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMIT THAT THE RELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND BETURN MERCHANDISE ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEDGED DISCREPANCY IN QUARTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (80) DAYS





Shipper ID: 994049 - Pagė: 2

Sold To: 516 ASC INDUSTRIES INC 1227 CORPORATE DRIVE WEST ARLINGTON, TX 76006 USA

Ship To: 51600589 ASC INDUSTRIES 1225 CORPORATE DR. WEST ARLINGTON, TX 76006 USA

Shipped From: ARCONIC FASTENING SYSTEMS AND RINGS NEWBURY PARK, REPUBLIC OPERATIONS 1300 Rancho Conejo Blvd Newbury Park, CA 91320 TEL: (805) 262-4200

Ship Date: 05/18/17

Ship Via: REFER TO NOTES

Container/Weight:

INCO Terms: FCA AFSR NEWBURRY PK Carrier Shipment Ref: 994049

Bill Lading #:

Ln Item Number

Description

Rev Oty Shipped Oty B/O UM Type

2 RSPLC75 Certified Test Report

Raw Mtl Cert in the state of the services

HTS CODE: 0000000000 SCHEDULE-B NUMBER: 0000000000

ECCN: 00000

\*\*\*\*\* Total Oty Shipped:

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test-reports are on file subject to examination. This document must not be reproduced except in Name full and relates only to the items tested.

REPUBLIC PASTENER MFG. CORP. .

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TRACEBILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AU ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEDGED DISCREPANCY MUDANTITY, ECT., SETWEEN THE GOODS ACTUALLY SHI DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST SE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (80) DAYS AI HEREON.

## Arconic Fastening Systems and Rings



# Republic Fastener Mfg.

QUALITY OPERATING FORM

Document Revision;

ument F-10.700.

Date:

November 1, 2016

DCN:

2788

# FINAL (PROCESSING, LAB, MECHANICAL TESTING) INSPECTION REPORT

Lot Number:	Frigure 1 th man a major	Part Number: RH30C4	Dwg. Nun	nber: 430	The second secon	Dwg. Rov#:	Let Quantilit 97,3	Commence of the second	Date: 5-1-17
Procurement	Spec.:	25027	Proc. Spe		Note: All Specific Unless Of	ations Reference		The Mo	st Current Revision
SAMPLE:	CHAR	ACTERISTIC DESCRIPTION		INSPE	TION MEDIA	ACCEPTANC	ESTAMP:	). R	PRODUCTION ELEASE DATE
	Material: BA Heat: CG Size: 34	OUN PISIFIC X99 V2	Allo	idar Gertifi iy Verificat		(Carlo	)	2.	08-17
CAP	Material: Heat: Size:			ndor Certifi y Verificat		W/	A	**************************************	
BASKET.	Material: Heat: Size:		2.50	ndor Certifi oy Verifical	20 m	المه	A		
CLIP	Material: Heat: Size:			ndor Certif by Verificat		ווא	R		
15	AMS2759/3	5-11-17 Stainless Stee	ol Only Ter	nsile C Hardner	s Tester	((AFF)	<u>)))</u>	5.	12-17
	AMS-H-6875 Austempering		His	A Salabar	ss Tester	N	<b>A</b>		
32	AMS2410.F	AMS2411 [ ]	Vis AS	ual Adhes TM 8568	on And Thickness	((R	M2)))	51	<u> </u>
	AMS-QQ-P-	116 .Class 1 [ ]2 [ ]3 [ ]	Vis AS	uel Adhes TM B568	ion And Thickness	N	R.	,	THE ROLL WAS A STREET OF A
	AMS2400[	] AMS2418[]		sual Adhes STM B568	ion And Thickness	N	la		, .
	Embrittlemer	nt Relief	Ho NA	SM1312,	At Room Temp Per Test 14	N	la_		
	Embrittlemer	nt Relief	Te	[ ] Hours mp Per N/ S-N-70 [	Stress At Service SM1312, Test 14 [ ]	N	lA		· · · · · · · · · · · · · · · · · · ·
<b>*</b> :	Gold Chrom	ate Trealment Type II	Vit Se	sual-Work alt Spray To	manship est of AMS-QQ-P-416	M=	la_		
32	1 12 14 NOV 144 C	Per (Stainless Steel Only) 35 [ ] AMS2700 (ASTM)	A867[] .V	sual High I ASM1312	lumidity Test Per	(AF)	1)))	5	15-17
15	Magnetic Pe Strength =	rmeability <2:0 (Air 1.0) For a 200 Oersteds	A Field lin	dicator Per Corresion	ASTM A342 Method Resistant Steel Only			5	15-17
80	Non-Destruc	tive Testing Discontinuities	Pe	1444 or Flu or ASTM E	rticle Per ASTM orescent Penetrant 1417				12-17
32 PCS	Carbowax P	er C-1316 Drawing	V		manship	N	IA		
	Dry Film Lui Batch No :	oricant Per AS5272 Type 1	P	er AS5272	manship, Adhesion IIc Salt Spr <b>ay</b>		)/A_		han y han
	Microstructu		Ŋ	PS-N-70 [ AS3350 [			JA	1	
32	Threads Pe	r MIL-S-8879, AS8879	M	ethod B, S	ystem 22	(Pth)	ANGER AT AL	4	120/17

When printed, this document is uncontrolled; user is responsible to ensure revision compliance. This drawing/documentation is controlled by either the Department of State, International Traffic in Arms Regulations on the Department of Commerce, Expair Administration Regulations and may regule an export license/license exception prior to being transferred to a foreign national, inside or outside of the United States. Prior to distribution, review the category attached to this drawing/documentation to determine the proper control requirements.

AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship #: 8005664989 | Line: 80 | 7364764283 | Qty: 300 | CPO: PO039433

# **Arconic Fastening Systems and Rings**



### Republic Fastener Mfg.

Revision:

Document:

Date:

October 28, 2016

DCN: 2785

## **QUALITY OPERATING FORM** PUSH-OUT, TORQUE-OUT, WRENCHING TORQUE,

		,					
Lot Number:		Number:		Dwg. Number:		Dwg. Revii:	Lot Quantity:
9880	g	RH30	C.Y. Sanda .	. RH30	in constituent por St.	ing King a second	97,360
	-70 ATTRIBUTE P	ANS 4 E	Other:		N.	SM 25027 ATTRIBUTE	party of the party
Lot Size	Sample Size	Accept	Sample Size	Accept	Lot Size	Sample Size	Accept
UNDER 9	2	0	N TO SHOW	3775	Under 10M	5 ° 'S	0
9 THRU 15		0	V. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	.,	. 10M THẦU 50M		6
16 THRU 25	4 .	, 0			50M THRÙ 100M	. 15 🖍	-0
26,THRU.90	1	a wagasad	: भेश्नाहरू + संद्राहरू	a stone stop to other	OVER 100M	July more than 127 July 1999	with the property
91 ŤĤŖŲ 280	, † · · · · · · ·	٠٥ .	, ,		the state of the s	·	•
281 THRU 3200	13	0			*	•	
OVER 3200	15	0 ;	1, 1				
		i sa sa a sa ay					PUSH OUT
PUSH-O	UT TEST	, D	ATE:	MIN.	POU	NDS'	REQUIREMENTS
		1			Service Chair	NAME OF THE PARTY	. c v v venegajajakase
		- 30	11/2			PASS / FAIL	
		1/0	]				STAMP
	• -		7	:		*:	
			· · · · · · · · · · · · · · · · · · ·				
		,	en gagearen billion en en gar Kannen		NOU ON.		TORQUE-OUT
TOKOU	E-OUT TEST	L	ATE:	VVRC	NCH SN:	and the Company	REQUIREMENTS
			•	MIN.	INC	H POUNDS	
- 1,			J. Jan.				a they are a sure of a society for
And the second of the second			1-1-1-		<u> </u>	PASS/FAIL	
All strategies of the	17, 1977 1774		14				STAMP
A STANSON	754.10.1 V	7 KK 7 F 197	5494 B 1997				
			The state of the s				
- MYVES					<b>.</b>	811	MOENORINO
WRENC	HING TORG	UE TEST	DATE: <u>5 -/</u>	1-/6 WRE	NCH SN: <u>ク</u>	166	WRENCHING TORQUE
		, ,.	*	MIN.	115 INC	H POUNDS	REQUIREMENTS
A TOTAL SECTION			3 %4: 1 /27	· · · · · · · · · · · · · · · · · · ·			
120	120	120 /	20 /20	<u> </u>		ASS)FAIL	
120	120 1	20 1	20 12				STAMP.
148 July 241 10 34 2 2 3		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$\frac{1}{2}\left\{\sigma}\right\{\s	h V			
120	120	120 1	20 /20	/ · · · · · · · ·	1 1		1000
200 St 200 St		Secretary Secretary	SERVICE 13. C.	50 900 00 00 V			Zirs)
TENSIL	ETEST	DATE:	6-17-17	MACHINE SN	22.77		HEW THATE
TEST BO	17. 59	2.5008	NASM	25027 REQ. #	580 LBS.	BPS-N-70 REQ.	LBS.
	S CARSON WAY	V., 2452), 3007		STEATURE SECTION OF THE	State But the source of a good for son	with the contract of	,, exercis, just a side fil di Pille
4720	4770 1	1720 4	720 472	a	iigh = <u>472</u>	U PROOF	LOAD TEST *
Charles and and the	1.27 600 0000 00 00 1 5	April 16 5 15 15 15 15 15 15 15 15 15 15 15 15 1	1.15 bet 4-4 1-2 1.55 k 2.50	PONOVA TX	LOW = 472	I TECTED	TO FAILURE
4720	4720 4	720 4	720 477	- 0	7,77		
USSU.	4720 9	1720 0	120 41.	20	R = 0	(RANGE = HI	GH MINUS LOW)
	1 × × 1	1 ( 1 ( ) ( ) ( ) ( ) ( )			x = 472	A WEBAGE T	ENSILE STRENGTH)
		<u>: 2                                   </u>	5-77-59 S.A.		· 1000 1000 1000 1000 1000 1000 1000 10	A (ANELVICE )	Evolre orueixoru)
				. 15 de la 18	Rx.4 = 0		
N ( N. 10. 2 2 2	<del>  -</del>		<del></del>		(-4R = 472	n	
	a 254		35-1-25-59 (4.1.)		N-417 - Y / 6-	🚾 👾 🔾 V P 🐼 SASSA	g to the same of the same of

When printed, this document is uncontrolled; user is responsible to ensure levision compliance. This drawing/documentation is controlled by either the Department of State, International Traffic in Arms Regulations or the Department of Commerce, Export Administration Regulations and may require an export license/license exception prior to being transferred to a foreign national, inside or outside of the United States. Prior to distribution, review the category attached to this drawing/documentation to determine the proper control requirements.

\*Note: The required Safety Load is 3% minimum above the specified minimum Proof Load requirement as described in QOP-10.702.

### **Arconic Fastening Systems and Rings**



### Republic Fastener Mfg.

Document:

F-10.703.1

Revision: Date:

October 28, 2016

2784

QUALITY OPERATING FORM

DCN:

### FINAL TORQUE AND HARDNESS TEST RESULTS

Lot Number: 98809	Part Number:	cy.	Dwg. Nun	nber: 130		Dwg. Re	y#: {	Lot Qua	4.2%	တ္ဝ
BPS N-70 ATTRIB	UTE PLAN	Office of the control	ar.			NA	SM 25027	ATTŘIBÚ	TE PLAN	
Lot Size Sar	npte Size   Accept	Sample	Size	Ассер	t	Lot 8		Sample		Accept
UNDER 9	2 0 0				*****	Under		5		-0
9 THRŪ 15 16 THRŪ 25	3 0	K Kalisa a con a		Market Company		10M THE		10	, 1227;137 (*)	0
26 THRU 90	6 0					OVER		27		0
91 THRÚ 280	· 7 0	1. 2.	Ţ,							
	-13 · 0 · ·	To the second of	a Normalia Normalia	samaa.	7 (17 3 <b>.</b> .	The second	g gada (pra zarietaria gaza da aliante de la compositione	1	· · · · · · · ·	
OVER 3200	J U		Vierena Leasen	endangs, dags	ar in the party of the	terperate, so t	erya awar	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7. feet	Kith to
			TORQUE	TEST						
Test Bolt: NAS960	y	Test Bolt Lot #	3280	6	Date:	17-1	7	Stam	P ((RFM 207-2	
Max. In.Lbs.: (187 ON)	The state of the s		Seated Load:		not meet	ing maxim	ycles exhit um or minir 10.703, par	num reau	rements	as I
CY ON BRK	ON BRK	ON BF	RK ON	BRK	ON	BRK	ON	BRK	ON	BRK
1 12.0 18.0	17.016.0	17.0 17	0 11/	12.0	161	140		~		
7 19-0 16-0	र रक्ष्या २०६व विकासील व विका	Sandre de sar la constant	e er Ser er frankligt franklige	0/20	A manufacture Cale Cal	1279 C 179 C 1	·	,		
3 77 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	13.0 13.0			ST 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*****	A-1				<u> </u>
15 /9/20200	120120	130 13		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	S. (5. 1. A Sec.)					
1 200 20.0	14.0	2002	2.0 16.	0.15.0	20.0	18.0	<u>         i            i              </u>			
7 19.014.0	16.0 15.0	18.018	0 12.0	1/2.0	16.0	15.0				
15 16.0 15.0	150150	12.619.	<del>-   / -    </del>	1110		14.0		-		
10.0, 3.0		14 4 1	1.00.40	)	15.0	2 4 4 7 2 4 3		· .		
1 15.0 15.0	17.0 17.0	10.013				12.0				<u> </u>
7 16.0 15.0	14.0 14.0	11.0:11.	0 14.0	15:0	15.0	1500				
15. 19.0 18.0	16.0 15.0	10.010	12.0	150	15.0	15.0	·			
1				4 1/3	74.			į.		
7	Company - Company	3010349 304					100			
<b>15</b> , 25, 5, 15,			MA AN	y	An II				, N	1. 7.3.3
	e session segment of the trace		The was south		CAR COLL	aWeke salay naga	Kings of the		73, 6 k 7 6 8 9 9 9 7	
		196, 197	HARDNES	S TEST		r faria.	Ant d	diam'r.	<u>خون د</u> د د	
CONVERTED FROM 30N per ASTM E1	SUALE IO TING	HRC Requireme Min.:	nt: Max.:	*_	Date:	5-10	1.17	Stam	p: ((*)	<u>)))</u>
HRC 42 40	43 39 6	12 34	1/2	43 3	94	143	2 43	111	47	40
30N 111.4 59.4	42.1 53.7	11.1 58	26091	02.05	1.060.	4 61:	7 62.	360.	60.	59.7
15N*					7.					
* CLIPS AND NUTS ONLY	* Renor	ted to	r info	rmatic	Y on	ĺγ			**************************************	security exerty freeze

When printed, this document is uncontrolled; user is responsible to ensure revision compliance. This drawing/documentation is controlled by either the Department of State, International Traffic in Arms Regulations of the Department of Commerce, Export Administration Regulations and may require an export license/license exception prior to being transferred to a foreign national, inside or outside of the United States. Prior to distribution, review the category attached to this drawing/documentation to determine the proper control requirements.

AVIALL - TRUE CERTIFIED COPY | 03/27/2018 | Ship # 8005664989 | Line: 80 | 1364/84283 | Sty: 300 | CPO: PO039433\_



#### **MATERIAL TEST REPORT**

B. SHIPVIA BP TRUCK	JOB NO.	INVOICE NO. 87102
ARCONIC FASTENING - REPUBLIC **** 1300 RANCHO CONEJO BLVD NEWBURY PARK, CA 91320	ORDER DA (2/16/16  CUST: P.O. \$2/20933407-1	THIS MATERIAL WAS MANUFACTURED AND TESTE IN CONFORMANCE WITH THE MOTED SPECIFIC TIONS THE INFORMATION PRESENTED HEREIN CORRECT AS SCONTAINED IN THE COMPAN RECORDS, FACILITY IS MERCURY A RADIOACTI FREE.  BY
ARCONIC FASTENING SYSTEMS PO BOX 1186 PITTSBURGH PA 15230 PRODUCT ORDERED	12 coils/ 2843#/	G. MORERO, LAR. 1/24/2017 GM DFAR 252.226-7014 ALT. 1
0,563 DIA TYPE A-286 CONVERTED TO 0,341/0,343 DIA SEAMSAFE MIRAFLEX COATED COIL	2600	AND 252 225-7009 COMPLIANT  KNOWINGLY OR WILL FULLY RECORDIN FALSE, FICTITIOUS, OR FRAUDULES STATEMENTS, OR ENTRIES ON THE DOCUMENT MAY BE PUNISHABLE AS FELONY UNDER FEDERAL LAW, TITLET CHAPTER 47.
AMS 5731L, CAP OF AMS 5732J 5737P		
#A-288 18 C6A99		
C: 0.03 AL: 0.24 MN: 0.53 TI: 2.15 P: 0.015 B: 0.007 S: < 0003 CB: SI: 0.07 TA: NI: 24.64 CB+TA: CR: 14.62 CU: 0.13	AS TENSILE KSI S YE SHIPPED PROPERTIES 97.0	70 HOURS 51.8 SELON 31.0
MO: 1,18 SE: CO: 0.16 N:	HT. PROCEDURE 1650F-2HRS W/Q, 1325F-16	IRS AC
V: 0.21 FE: CA:	*A. 51.8	RDNESS RO34 SHEAR KSI
ZR<.01  ASTM GRAIN SIZE: 7/8  ALLVAC:USA  MACRO: MICRO: OTHER:	RT. PROCEDURE	325F 16HRS A/C ELD, KSI 102-7 % ELDN 32.6 HEDNESS RC 34 SHEAR KSI ELD, KSI % ELDN
17-130		ARDNESS SHEAR, KSI



2655 Harrison Ave SW Canton, OH 44706

Ph: 330-430-6190, Fax: 330-430-6199,

**Packing Slip** 

Original

Invoice #: 150238 Invoice Date: 6/12/2017

Time: 1:57:32 PM

Page: 1

To:

AVIALLAEROSPACE TEXAS

PO BOX 619048 DFW AIRPORT

Prepared By:

WO #:

DALLAS, TX 75261-0000

USA

ATTN: REJOE JACOB

Ph: 972-586-1903 Fax: 972-586-7995

Ship To:

AVIALLAEROSPACE TEXAS

2750 REGENT BLVD.

DFW AIRPORT DALLAS, TX 75261-0000

Cust. PO#: 45673353

Order Date: 6/12/2017

Terms: NET 30

Sales Order: 123705

Customer #: 15195

Buyer: REJOE JACOB

# of items: 1

VAT #:

FOB:

Ship Via: FED EX GROUND

# of Boxes: 1

Ship Log #: 1

Cust VAT #: AWB:

Ship Via Acc: 123985630

Weight: 10

Ship Order:

Ship Date: 6/12/2017

Shipment:

Item	Part Number/Descript	ion	Shipped	BackOrd	CD	List Price	Disc	Unit Price	UOM	Total Amt
1	AN4-45A BOLT, AN Loc/Whse:	5B2	125	0	NE				EA	
	Control #: 154478-1 L-12976					·				
	5 PC PER PACK					1 000		,		
						*				
			-							



**AHARPER** 06/14/17

C OF C ENCLOSED 1 BOX 10 LBS PARTS ARE MANUFACTURED IN THE USA!! THANK YOU!	
Special Instructions:	
· ARRIGIN	
,	
Authorized Signature:	



2655 Harrison Ave. SW Canton, Ohio 44706-3047

Phone: 330-430-6190 Fax: 330-430-6199

# **CERTIFICATE OF CONFORMANCE**

## **AVIALL**

I hereby certify that on 06/12/17 Airfasco Industries provided the supplies called for by Contract/PO Number 45673353 in accordance with all applicable requirements for shipment. I further state/ that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States.

Quality Assurance Representative

WM. DENT

PART NUMBER	LOT NUMBER	QUANTITY	PART NUMBER	LOT NUMBER	QUANTITY
AN4-45A	. 12976	125			
And the control of th					
				. Nome	
•		·			



1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015 WWW.AEROGLEN.COM CAGE CODE 9V172

ISO9001 / AS9100 / AS9120 REGISTÉRED PRI CERTIFICATION: 14-2127, 14-2128R

Printed By : NROA Print No. :

Pg:1/1

# PACKING SLIP

Print Date : Dec-19-2017 9:29 AM

Ship To: [1]

AVIALL CENTRAL WAREHOUSE
Attn: RECEIVING DEPT.
2750 REGENT BOULEVARD
DFW Airport, TX 75261
UNITED STATES
Tel.: 972-586-1994

S.O. No. :074793 Our Ref

:074793 S.O. No. Your Ref : 0045785545 Cust P.O. Spec Inst Picked On : Nov-20-2017 Contract Shipped On: Nov-27-2017 Lic No. Ship Via DROP OFF : DESTINATION: **Expires** F.O.B. ·: NET 30 Terms

Our Contact : MERLE LANGTON

No. 110555

For: Account No. [AVIALL-DALLA]

AVIALL Attn: MICHELLE ZHONG, BUYER 2700 Regent Blvd DFW Airport, TX 75261

UNITED STATES Tel.: 972-586-1994

ITEM NAS1149C0532R = 28

BATCH 7364793810

DIBARRA 03/01/18

Our C	ONISCE : MERLE LANGTON					
Line	P/N & Description	Cn		Qty Shipped		Packaging
10	NAS1149C0532R	DF1	10,000.00	2,000.00 EA	8,000.00	
*	WASHER FLAT UID90552					Approximate the second
			and the same			
	Note: WASHER: FLT, ST - PKG 100 PER			*		and the second
	NSN: 5310-00-167-0814 LOT #: C113544-3	* **				57. * . <b>**</b> ***
10	MFG: SUPERIOR NAS1149C0532R COO: USA 12/24/17	DF1		8,000.00 EA	0.00	•
	WASHER FLAT UID90317		.*			
	L MANNE CRUIT CRUIT THÁI HAN 1991 1991					
	Note: WASHER: FLT, ST - PKG 100 PER NSN: 5310-00-167-0814					
	LOT #: 456374-7 MFG: SUPERIOR COO! USA N.K. 12/26/17		Si			
	UNLESS NOTED ON THE FACE HEREO	F, AN	Y AND ALL MA	TERIALS/PAR	TS SUPPLIED	ON,
	THIS S.O./P.O. MAY NOT BE DEARS 252	22-7	014 ALT. 1 CO	MPLIANT. AEF	O-GLEN, INT	•••
	GRAPEVINE, TX., USA, WILL NOT BE HE	ELD I	VIOLATION	F THE DEAR	S/SPECIALTY	

Copyright (c) PENTAGON 2000 Software, Inc. Ser #:[2000.21078] Ver 9.00.03 Build 88

**CUSTOMER COPY** 

MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS.

ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED



1160 MUSTANG DR. SUITE 300 DFW AIRPORT, TX 75261 TEL: (817) 328-6600 FAX (972) 456-1015 WWW.AEROGLEN.COM CAGE CODE 9V172 ISO9001 / AS9100 / AS9120 REGISTERED

PRI CERTIFICATION: 14-2127, 14-2128R

CERTIFICATE OF CONFORMANCE

Print Date : Dec-19-2017 9:29 AM	Printed By : NROA Print No. :
	No.: 110555
Sold To : Account No. [AVIALL-DALLA]	Shipped To:
AVIALL Attn: Email invoce to apinvoices@aviall.com, ACCOUNTS PAY 2700 Regent Blvd DFW Airport, TX 75261 UNITED STATES Tel.: 972-586-1426	AVIALL CENTRAL WAREHOUSE  (ARITE RECEIVING DEPT. 2750 REGENT BOULEVARD DFW Airport, TX 75261 UNITED STATES Tel.: 972-586-1994

Line	P/N & Description	Cnd	Qt	y Ordere	d,	Shipped	, Uı	it Sell	Price		Amount	
10	NAS1149C0532R WASHER FLAT	DF1	1	0,000.00 (Qt)	EA /. Ba	<b>2,000.00</b> ck 8,000.00)		A *	. 2		- <del>4</del> , .	
	Pick Ticket / Packing Slip No.: 110555 Note: WASHER: FLT, ST - PKG 100 PEF		• · · · · · · · · · · · · · · · · · · ·	·	8		L. L. L. L. L. L. L. L. L. L. L. L. L. L	****			region in the	- S
	NSN: 5310-00-167-0814 LOT #: C113544-3			zi.			3	-1 %.··	* ***			st ·
10	MFG: SUPERIOR NAS1149C0532R WASHER FLAT	DF1	anii qiliangan	enga in the second	(Qty	<b>8,000.00</b> . Back 0.00)		3 130	The state of the s		74. 2 <b>3</b> 61 22. 6	
	Pick Ticket / Packing Slip No.: 110555 Note: WASHER: FLT, ST - PKG 100 PEF			:		,			- K.		·	
	NSN: 5310-00-167-0814 LOT #: 456374-7	1 2		•	. • • •	St. Maria			1 2N 1	A. Sa	Art .	.* 3
	MFG: SUPERIOR	*			•	e. 4.	,	, <u>š</u>	\$	- 4.	F	· 140
255¢-	W Garage Carlo		. =:	·. • • • •	145.0	i di got		130 = .1		Willy or My	ar i jagori d	ė. A
	en en en en en en en en en en en en en e			· •••		\$	4,5	*	ng die in Mar Kontroller		\$ 15 <u>4</u>	1 # 16 - 16 M
					4.5				in and a second			
				8								
_		The state of the s				and the second s			200			4.
			A									
						:			-	`	1.	

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DEARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2009 Software, Inc. Ser #:[2000.21078] Ver 9.00.03 Build 88

ORIGINAL (COPY.)

SUPERIOR WASHER AND GASKET CURP.

170 Adams Avenue Heuppeuge, New York 11788 Phone: (631) 273-8282 Fac. (631) 273-8088 E-Mail: swg@superiorwasher.com Web: superiorwasher.com

662 Bnjant Blvd.
Rock Hill, South Carolina 29732
Phone: (803) 368-3250
Fac: (803) 368-3511
E-Mail: swg@superiorwesher.com
Web: superiorwesher.com
(In the South) (in the East)

SUPERIOR WASHER AND GASKET CURP.

1702 MINTERS CHAPEL RD. #116

**GRAPEVILLE** 

TX 76051

Superior Lot Number Tracer No. **Customer Purchase Order Number** Superior Order Numbe -7 SC27308 -6 456374 C113544-3 17273 Quantity Part Number **Production Card** Date 40,000 NAS1149C0532R 07-19-10 0 **Dual Cert No.** Drawing REV 4-AN960-C516L REV21

navo seen menes and manufactured in the U.S.A.
"and comply with DFARS 252.225.7008,7009,7010"

304 STAINLESS STEEL Annealed per AMS5513F

	Chemical Ana	lysis	*	• ,•	*	Mechanica	al Prop	rties
C Mn P S Si Cr	CARBON MANGANESE PHOSPHORUS SULPHUR SILICON CHROMIUM	.0420 1.1300 .0340 .0020 .4400 18,2100				Yield Tensile Elongation Hardness Heat Magnetic Permeability		51000 101000 49.0 B 87 48971
Mo Cu Fe Ti Co	MICKEL MOLYBDENUM COPPER IRON TITANIUM COBALT	8.2400 .5200 .4800	<b>;</b> •			Bend Test		OK
N Cb Al Sn Mg	NITROGEN COLUMBIUM ALUMINUM TIN	.0430			SUPERK	OR WASHER	& GASK	ET CORP.
Zn Pb Va	ZINC LEAD VANADIUM			•	 By Ric Qu	chard Anderso ality Control I	n, Jr. Manager	ans (2).

87.0



T

## **BOX CONTENT LIST**

Ò

ODO: 310007774269

ROUTE: FDXIPA

**PAGE: 1 of 3 DATE:** 03/27/2018 `

**TIME: 17:48:12** 

Handling Unit: 110000000514908485

Packed at WorkCenter: SI04

CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

**CUSTOMER PO:**PO039433 **ORDER NUMBER:**8005664989

> CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

1000 **AVIALL CENTRAL WAREHOUSE** DALLAS CDC PO Box 619048 DFW AIRPORT TX 75261 USA ROM

		THE TODDEDE		PERSONAL SECURITION ASSESSMENT TO LINE WILL BE	
लायाञ	PIO DESCRIPTION	ORDER QUANTITY	QUANTITY	MOU	
00010	28 AN4-13A=28 BOLT: HEX HD,ST	300	300	EA	
	BATCH 7364732929 Exp Date:	100	300	EA	
00020	28 AN4-17A=28 BOLT: HEX HD,ST	100	100	LA	
	BATCH 7364753587 Exp Date:	20	100 20	EA	
00030	28 AN4-45A=28 BOLT: HEX HD,ST	20		LA	
	BATCH 7364576896 Exp Date:		20	Γ.Δ	
00040	28 AN525-10R24=28 SCREW: WASHER HD,ST	100	100	EA	
	BATCH 7364525515 Exp Date:		100		
00050	28 AN6-36A=28 BOLT: HEX HD,ST	50	50	EA	
	BATCH 7364684343 Exp Date:		50		

# This is not an invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

03/27/2018

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

**CUSTOMER COPY** 

Director, Global Quality

AV20 RS-06



0

### **BOX CONTENT LIST**

ODO: 310007774269

PAGE: 2 of 3

**DATE:** 03/27/2018 **TIME:** 17:48:12

Handling Unit: 110000000514908485

Packed at WorkCenter: \$104

**ROUTE:** FDXIPA

**CUSTOMER PO:**PO039433 **ORDER NUMBER:**8005664989

CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 **CANADA** O

1000 **AVIALL CENTRAL WAREHOUSE** DALLAS CDC PO Box 619048 DFW AIRPORT TX 75261 USA R Ö

				AND THE PROPERTY.		Company of the Compan	STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET,
	PO C	ITEM	ORDER OUANTINY		UOM		
UNE		DESCRIPTION	GUANTITY_			<u> </u>	
00070	5N	PR1425B2-60Z=5N SEALANT: 654 SEMKIT	10	10	EA		
	BATCH 736478	249 Exp Date: 12/0	1/2018	10			
08000	28	MS21042L4=28 NUT: SELF-LKG,ST	1,000	1,000	EA		
	BATCH 7364736			1,000			
00090	28	MS21043-4=28 NUT: SELF-LKG,CRES	300	300	EA		
1	BATCH 736476			300			
00100	28	MS21071L3=28 NUTPLATE: SELF-LKG,ST	50	50	EA		
1	BATCH 736478			50			
00110	28	MS21919WCH4=28 CLAMP: LOOP,CUSHION,CRI	20 ES	20	EA		
	BATCH 736463		1/2037	20			

# This is not an invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or pan's referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

**CUSTOMER COPY** 

JR Hofmann, Director, Global Quality

03/27/2018

AV20 RS-06



Ò

### **BOX CONTENT LIST**

Ò

ODO: 310007774269

PAGE: 3 of 3 **DATE:** 03/27/2018 **TIME:** 17:48:12

Handling Unit: 11000000514908485

Packed at WorkCenter: SI04

CUSTOMER PO:PO039433 **ORDER NUMBER:**8005664989

CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

CU10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

1000 AVIALL CENTRAL WAREHOUSE DALLAS CDC PO Box 619048 DFW AIRPORT TX 75261 USA Ö M

		ITEM	ORDER!	SHIP		
(LINE	MINE MIRE	DESCRIPTION	QUANTITY	QUANTITY	UOM	
00130		MS29512-06=15 ORING: NITRILE,70	20	20	EA	
	BATCH 7364691	487 Exp Date: 0°	1/01/2033	20		
00140		NAS1149C0532R=28 WASHER: FLT,ST	200	200	EA	
	BATCH 7364793			200		
00150	28	NAS1149C0932R=28 WASHER: FLT,ST	200	200	EA	
- 1	BATCH 7364204			200		
00160		NAS1149D0463J=28 WASHER: FLT,AL	3,000	3,000	EA	
	BATCH 7364710			400		
	BATCH 7364638	_ • _		2,600		

**ROUTE: FDXIPA** 

# This is not an invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods. Diversion contrary to U.S. Law is prohibited. CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or paris referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

03/27/2018

**CUSTOMER COPY** 

AV 20 RS-06

JR Hofmann, Director, Global Quality



# **Commercial Invoice**

Government Transaction Number

**NOEEI FTR 30.36** 

A BOEING COMPANY

AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT TX 75261 USA

Delivery Number Tracking Number 8005664989 428527456100 Commercial Invoice Number LU\_US\_1000 Ship From 9307152129 Ship Date **AVIALL CENTRAL WAREHOUSE** 27 March, 2018 2750 REGENT BLVD. DFW AIRPORT TX 75261 Incoterms USA **EXW Shipping Point** 

Sold	To	10003952	Ultimate Consignee	10003952	Ship To	10003952	Freight Forwarder	400010
DAR 1270 HAV	T AEROSPACE LTD ABERDEEN STREET VKESBURY ON K6A 1K7 IADA	·	DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515	
							Tax Number: 20-4734803	

Comments:

# ATTN Freight Forwarder: Email a copy of Master Air Way Bill (MAWB) to aesaudits@aviall.com

		Country	Quantity	UOM	Unit Value	Extended Value
tem	Part Number & Description	of Origin			USD	≀ USD
	AN4-13A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364732929	US	300	EA	0.18	54.00
20	AN4-17A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364753587	US	100	EA	0.24	24.00
30	AN4-45A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364576896	US	20	EA	1.63	32.60



Delivery Number	Commercial Invoice Number •
8005664989	9307152129

A BOEING COMPANY

		Country			Unit Price	Extended Value
Item	Part Number & Description	of Origin	Quantity	UOM	USD	USD
40	AN525-10R24 - SCREW: WASHER HD,ST  Export Tariff: 7318159000	US	100	EA	0.21	21.00
50	AN6-36A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364684343	us	50	EA	1.11	55.50
70	PR1425B2-60Z - SEALANT: 654 SEMKIT Export Tariff: 3214905000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364781249	US	10	EA	63.86	638.60
80	MS21042L4 - NUT: SELF-LKG,ST  Export Tariff: 7318160000	US	1,000	EA	0.17	170.00
90	MS21043-4 - NUT: SELF-LKG,CRES Export Tariff: 7318160000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364764283	US	300	EA	0.42	126.00
100	MS21071L3 - NUTPLATE: SELF-LKG,ST Export Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364781511	IT	50	EA	0.31	15.50
110	MS21919WCH4 - CLAMP: LOOP, CUSHION, CRES Export Tariff: 7326908695	US	20	EA	0.70	14.00



Delivery Number	Commercial Invoice Number
8005664989	9307152129

A BOEING COMPANY

		Country			Unit Price	Extended Value
Item	Part Number & Description	of Origin	Quantity	UOM	USD	USD
	MS29512-06 - ORING: NITRILE,70 Export Tariff: 4016930000	MX	20	EA	0.13	2.60
140	NAS1149C0532R - WASHER: FLT,ST  Export Tariff: 7318220000	US	200	EA	0.03	6.00
150	NAS1149C0932R - WASHER: FLT,ST Export Tariff: 7318220000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364204609	US	200	EA	0.08	16.00
160	NAS1149D0463J - WASHER: FLT,AL Export Tariff: 7616108000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433	US	3,000	EA	0.03	90.00

1,265.80
· · · · · · · · · · · · · · · · · · ·
-
1,265.80

#### FOR CUSTOMS PURPOSES ONLY **NOT A BILLING INVOICE**

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.



# **Commercial Invoice**

Government Transaction Number

NOEEI FTR 30.36

AVIALL CENTRAL WAREHOUSE 2750 REGENT BLVD. DFW AIRPORT TX 75261 USA

10003952

Sold To

USA

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

AVIALL SERVICES INC

**DFW AIRPORT TX 75261** 

2750 REGENT BLVD

10003952 Ultimate Consignee

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA Ship To

10003952

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA Freight Forwarder

FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515

Incoterms

**EXW Shipping Point** 

400010

Tax Number: 20-4734803

Comments:

# ATTN Freight Forwarder: Email a copy of Master Air Way Bill (MAWB) to aesaudits@aviall.com

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Value USD	Extended Value , USD
	AN4-13A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364732929	US	300	EA	0.18	54.00
	AN4-17A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364753587	US	100	EA	0.24	24.00
30	AN4-45A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364576896	US	20	EA	1.63	32.60



Delivery Number	Commercial Invoice Number
8005664989	9307152129

A BOEING COMPANY

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Price USD	Extended Value USD
40	AN525-10R24 - SCREW: WASHER HD,ST  Export Tariff: 7318159000	US	100	EA	0.21	21.00
50	AN6-36A - BOLT: HEX HD,ST  Export Tariff: 7318152000	US	50	EA	1.11	55.50
	PR1425B2-60Z - SEALANT: 654 SEMKIT  Export Tariff: 3214905000	US	10	EA	63.86	638.60
80	MS21042L4 - NUT: SELF-LKG,ST Export Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364736526	US	1,000	EA	0.17	170.00
90	MS21043-4 - NUT: SELF-LKG,CRES Export Tariff: 7318160000 Export Classification: EAR99 Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364764283	US	300	EA	0.42	126.00
100	MS21071L3 - NUTPLATE: SELF-LKG,ST Export Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364781511	IT	50	EA	0.31	15.50
110	MS21919WCH4 - CLAMP: LOOP, CUSHION, CRES Export Tariff: 7326908695	US	20	EA	0.70	14.00



# **Commercial Invoice**

Delivery Number	Commercial Invoice Number
8005664989	9307152129

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Price USD	Extended Value USD
	MS29512-06 - ORING: NITRILE,70 Export Tariff: 4016930000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433 Batch Number: 7364691487	MX	20	EA	0.13	2.60
	NAS1149C0532R - WASHER: FLT,ST  Export Tariff: 7318220000	US	200	EA	0.03	6.00
	NAS1149C0932R - WASHER: FLT,ST  Export Tariff: 7318220000	US	200	EA	0.08	16.00
160	NAS1149D0463J - WASHER: FLT,AL Export Tariff: 7616108000 Export Classification: 9A991.d Authorization: NLRAT_JAN_2020 Sales Order: 1003940669 PO: PO039433	us	3,000	EA	0.03	90.00

Gross Value	1,265.80
Add on Charges	
Tax Value	
Freight Charges	
Total Net Value	1,265.80

# FOR CUSTOMS PURPOSES ONLY NOT A BILLING INVOICE

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.